

**NOTUS School District 135** 

25257 Notus Road Caldwell, IDAHO 83607 Phone 208-459-7442 Fax 208-453-1027

Micah J. Doramus, Superintendent & Elem. Principal Jen Wright, Jr./Sr. High Principal Dawnita Tincher, Business Manager

January 9, 2025

To Whom it May Concern:

This letter is to notify you of a cybersecurity data breach that has impacted our school district as required under IC § 33-133, IC § 28-51-105 and Notus School District Policy 9550. Our team is currently working to audit the logs to determine what specific data may have been accessed within our PowerSchool SIS. It has been indicated that the Teacher and Student tables may have been accessed.

Please let me know if you have any questions or need any additional information from our team.

Sincerely,

Micah J. Doramus Superintendent

Encl. PowerSchool Breach Notification 01072025.pdf PowerSchool Tables - Student Table.pdf PowerSchool Tables - Teacher Table.pdf

Field Name		Field Type	Description	Notes
Access	3.6.1	CLOB	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
AdminLDAPEna	4.3.0/5.0.7	Number(10,0)	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
AllowLoginEnd	3.6.1	Time	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
AllowLoginStart	3.6.1	Time	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
Balance1	3.6.1	Float	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
Balance2	3.6.1	Float	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
Balance3	3.6.1	Float	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
Balance4	3.6.1	Float	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
CanChangeScho	3.6.1	Number(10,0)	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
City	3.6.1	Varchar(40)	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
Classpua	3.6.1	CLOB	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
Custom	3.6.1	CLOB	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
DCID	4.0.0	Number(10,0)	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
DefaultStudScrn	3.6.1	CLOB	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
Email_Addr	3.6.1	Varchar(50)	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
Ethnicity	3.6.1	Varchar(20)	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
FedEthnicity	6.0.0.1	Number(10,0)	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
FedRaceDecline	6.0.0.1	Number(10,0)	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
First_Name	3.6.1	Varchar(20)	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
GradebookType	5.0.13	Number(10,0)	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
Group	3.6.1	Number(10,0)	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
Home_Phone	4.0.0	Varchar(20)	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
HomePage	3.6.1	CLOB	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
Homeroom	3.6.1	Varchar(20)	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
ID	3.6.1	Number(10,0)	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
IPAddrRestrict	3.6.1	CLOB	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
Last_Name	3.6.1	Varchar(20)	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
LastFirst	3.6.1	Varchar(40)	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
LastMeal	3.6.1	Varchar(20)	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
Log	3.6.1	CLOB	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
LoginID	3.6.1	Varchar(20)	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
Lunch_ID	3.6.1	Float	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
Maximum_Load	5.0.12	Number(10,0)	No longer used by the application. This field may still be referenced on reports and/or custom pages.	

Middle_Name	3.6.1	Varchar(20)	No longer used by the application. This field may still be referenced on reports and/or custom pages.
NameAsImporte	3.6.1	Varchar(40)	No longer used by the application. This field may still be referenced on reports and/or custom pages.
NoOfCurClasses	3.6.1	Number(10,0)	No longer used by the application. This field may still be referenced on reports and/or custom pages.
NumLogins	3.6.1	Number(10,0)	No longer used by the application. This field may still be referenced on reports and/or custom pages.
Password	3.6.1	Varchar(15)	No longer used by the application. This field may still be referenced on reports and/or custom pages.
PeriodsAvail	3.6.1	Varchar(40)	No longer used by the application. This field may still be referenced on reports and/or custom pages.
Photo	3.6.1	Number(10,0)	No longer used by the application. This field may still be referenced
PowerGradePW	3.6.1	Varchar(20)	on reports and/or custom pages. No longer used by the application. This field may still be referenced
PreferredName	3.6.1	Varchar(45)	on reports and/or custom pages. No longer used by the application. This field may still be referenced
PSAccess	3.6.1	Number(10,0)	on reports and/or custom pages. No longer used by the application. This field may still be referenced
Sched_ActivityS	3.6.1	Varchar(8)	on reports and/or custom pages. No longer used by the application. This field may still be referenced
Sched_Building(	3.6.1	Varchar(10)	on reports and/or custom pages. No longer used by the application. This field may still be referenced
Sched_Classroor		Varchar(10)	on reports and/or custom pages. No longer used by the application. This field may still be referenced
Sched Departme		Varchar(10)	on reports and/or custom pages. No longer used by the application. This field may still be referenced
Sched Gender	3.6.1	Varchar(2)	No longer used by the application. This field may still be referenced No longer used by the application. This field may still be referenced
			on reports and/or custom pages. No longer used by the application. This field may still be referenced
Sched_Homeroo		Varchar(10)	on reports and/or custom pages.
Sched_HouseCo		Varchar(10)	No longer used by the application. This field may still be referenced on reports and/or custom pages.
Sched_IsTeacher		Number(10,0)	No longer used by the application. This field may still be referenced on reports and/or custom pages.
Sched_Lunch	3.7.0	Number(10,0)	No longer used by the application. This field may still be referenced on reports and/or custom pages.
Sched_Maximun	3.6.1	Number(10,0)	No longer used by the application. This field may still be referenced on reports and/or custom pages.
Sched_Maximum	3.6.1	Number(10,0)	No longer used by the application. This field may still be referenced on reports and/or custom pages.
Sched_Maximum	3.6.1	Number(10,0)	No longer used by the application. This field may still be referenced on reports and/or custom pages.
Sched_Maximun	3.6.1	Number(10,0)	No longer used by the application. This field may still be referenced on reports and/or custom pages.
Sched_MaxPers	5.0.0	Number(10,0)	No longer used by the application. This field may still be referenced on reports and/or custom pages.
Sched_MaxPreps	5.0.0	Number(10,0)	No longer used by the application. This field may still be referenced on reports and/or custom pages.
Sched_PrimaryS	3.6.1	Varchar(10)	No longer used by the application. This field may still be referenced on reports and/or custom pages.
Sched_Scheduled	3.6.1	Number(10,0)	No longer used by the application. This field may still be referenced on reports and/or custom pages.
Sched_Substitute	3.6.1	Number(10,0)	No longer used by the application. This field may still be referenced on reports and/or custom pages.
Sched_TeacherM	3.6.1	Number(10,0)	No longer used by the application. This field may still be referenced
Sched_Team	3.6.1	Varchar(12)	on reports and/or custom pages. No longer used by the application. This field may still be referenced
Sched_TotalCour	3.6.1	Number(10,0)	on reports and/or custom pages. No longer used by the application. This field may still be referenced
Sched_UseBuild	3.6.1	Number(10,0)	on reports and/or custom pages. No longer used by the application. This field may still be referenced
Sched_UseHouse	3.6.1	Number(10,0)	on reports and/or custom pages. No longer used by the application. This field may still be referenced
School_Phone	4.0.0	Varchar(20)	on reports and/or custom pages. No longer used by the application. This field may still be referenced
SchoolID	3.6.1	Number(10,0)	on reports and/or custom pages. No longer used by the application. This field may still be referenced
			on reports and/or custom pages.

SIF_StatePrid	5.0.11.1	Varchar(32)	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
SSN	3.6.1	Varchar(12)	No longer used by the application. This field may still be referenced on reports and/or custom pages.	No teacher SSNs are kept in PowerSchool
StaffPers_guid	4.0.0	Varchar(32)	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
StaffStatus	3.6.1	Number(10,0)	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
State	3.6.1	Varchar(2)	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
Status	3.6.1	Number(10,0)	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
Street	3.6.1	Varchar(80)	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
SupportContact	3.6.1	Number(10,0)	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
TeacherLDAPEr	4.3.0/5.0.7	Number(10,0)	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
TeacherLoginID	3.6.1	Varchar(20)	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
TeacherLoginIP	3.6.1	CLOB	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
TeacherLoginPW	3.6.1	Varchar(20)	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
TeacherNumber	3.6.1	Varchar(20)	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
Title	3.6.1	Varchar(40)	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
WM_Address	3.6.1	Varchar(70)	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
WM_Alias	3.6.1	Varchar(70)	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
WM_CreateDate	3.6.1	Date	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
WM_CreateTime	3.6.1	Time	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
WM_Exclude	3.6.1	Number(10,0)	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
WM_Password	3.6.1	Varchar(20)	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
WM_Status	3.6.1	Varchar(10)	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
WM_StatusDate	3.6.1	Date	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
WM_TA_Date	3.6.1	Date	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
WM_TA_Flag	3.6.1	Varchar(3)	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
WM_Tier	3.6.1	Number(10,0)	No longer used by the application. This field may still be referenced on reports and/or custom pages.	
Zip	3.6.1	Varchar(10)	No longer used by application as of ver6.0.1.6.	

Field Name	Field Type	Description	Notes		
	J. J.				
Alert_Discipline	CLOB	One of many various alerts in PowerSchool. This field stores the text tied to the alert.			
Alert_DisciplineExpires	Date	One of many various alerts in PowerSchool. This field stores the expiration date tied to the alert.			
Alert_Guardian	CLOB	One of many various alerts in PowerSchool. This field stores the text tied to the alert.			
Alert_GuardianExpires	Date	One of many various alerts in PowerSchool. This field stores the expiration date tied to the alert.			
Alert_Medical	CLOB	One of many various alerts in PowerSchool. This field stores the text tied to the alert.			
Alert_MedicalExpires	Date	One of many various alerts in PowerSchool. This field stores the expiration date tied to the alert.			
Alert_Other	CLOB	One of many various alerts in PowerSchool. This field stores the text tied to the alert.			
Alert_OtherExpires	Date	One of many various alerts in PowerSchool. This field stores the expiration date tied to the alert.			
AllowWebAccess	Number(10,0)	Indicates whether to allow the parent user ID to log in to the parent/student page: 1=Yes 0=No			
Applic_Response_Recvd_D	Date	No longer used by the application. This field may still be referenced on reports and/or custom pages.			
Applic_Submitted_Date	Date	No longer used by the application. This field may still be referenced on reports and/or custom pages.			
Balance1	Float	Lunch balance.			
Balance2	Float	Beginning lunch balance for the year copied from balance 1 in the end-of-year process.			
Balance3	Float	Fees balance.			
Balance4	Float	No longer used by the application. This field may still be referenced on reports and/or custom pages. Beginning fee balance for the year copied from balance3 in the end-of-year process.			
Building	Varchar(10)	No longer used by the application. This field may still be referenced on reports and/or custom pages. This field is necessary to capture the building value assigned in PowerScheduler to a student. This will need to be moved from Students:Sched_NextYearBuilding during the End-of-Year process. The field stores the text value of building (i.e. Building1).			
Bus_Route	Varchar(20)	The district name for the students' bus route.			
Bus_Stop	Varchar(20)	The stop number at which the student gets on and off the bus.			
CampusID	Number(10,0)	No longer used by the application. This field may still be referenced on reports and/or custom pages.			
City	Varchar(50)	City element of the students address.			
ClassOf	Number(10,0)	Stores the calculated graduation class year.			
Cumulative_GPA	Float	No longer used by the application. This field may still be referenced on reports and/or custom pages.			
Cumulative_Pct	Float	The cumulative percent GPA for the student as of the last time GPA calculations ran.			
Custom	CLOB	This field holds all the students' custom fields and their values in key- pair format separated by semicolons.			
CustomRank_GPA	Float	The rank for the student as of the last time GPA calculations ran based on their custom calculations.			
DCID	Number(10,0)	Unique identifier for this table. Indexed. Required.			
DistrictEntryDate	Date	A static field with no coding used simply to hold information entered by the district.			
DistrictEntryGradeLevel	Number(10,0)	No longer used by the application. This field may still be referenced on reports and/or custom pages.			
DistrictOfResidence	Varchar(20)	The school district in which the student physically lives.			
DOB	Date	Date of birth.			
Doctor_Name	Varchar(305)	Name of the doctor for the student.			
Doctor_Phone	Varchar(30)	Phone number for the doctor.			
Emerg_Contact_1	Varchar(305)	Name to contact in case of an emergency.			
Emerg_Contact_2	Varchar(305)	Name to contact in case of an emergency.			
Emerg_Phone_1	Varchar(30)	Phone number for the first emergency contact.			
Emerg_Phone_2	Varchar(30)	Phone number for the second emergency contact.		]	

Enroll_Status	Number(10,0)	The enrollment status of the student.		
		-2 = Inactive		
		-1 = Pre-registered 0 = Currently enrolled		
		1 = Inactive		
		2 = Transferred out		
		3 = Graduated 4 = Imported as Historical		
		Any other value = Inactive		
Enrollment_SchoolID	Number(10,0)	This field holds the school ID value when creating reenrollment records.		
Enrollment_Transfer_Date_	I Date	Date of the pending transfer of the student from the school. If 00/00/00 then immediate transfer.		
Enrollment_Transfer_Info	BLOB	BLOB containing one or more comments regarding this transfer.		
EnrollmentCode	Number(10,0)	This can be used for any special code that needs to be attached to an enrollment. Currently, it is only used in AZ: 0=None 1=CECA 2=CECB 3=Open Enrollment		
EnrollmentID	Number(10,0)	Value which becomes the Reenrollments.ID value when the Reenrollments record is created except in the case that Reenrollments records are created for summer school. Required. Defaults to 0.		
EnrollmentType	Varchar(2)	This is used to specify what type of enrollment the student has at this school. Currently, it is only used in AZ: M=Main A=Ancillary		
EntryCode	Varchar(10)	The code representing how or why the student entered school. These codes are stored in Gen Table [6] cat=entrycodes. These are set in cacheol esture		
EntryDate	Date	school setup. The date the student enrolled in school for the current enrollment.		
		Indexed.		
Ethnicity	Varchar(20)	Heritage background of a student. The codes assigned here are stored in the Gen Table [6] Cat=Ethnicity. These are set in school setup.		
Exclude_FR_ Rank	Number(10,0)	True/False. Exclude from class rank. Used to keep particular students from counting in the class rank. This is often used for special education students.		
ExitCode	Varchar(10)	The code representing how or why the student exited the school. These codes are stored in Gen Table [6] cat=exitcodes. These are set in school setup.		
ExitComment	CLOB	Any comments for the student exiting this school.		
ExitDate	Date	The date the student exited for the current/last enrollment. This is the day after a student-attended class. For example, if the last day the student is in school is a Wednesday, Thursday is the exit day. Indexed.		
Family_Ident	Varchar(30)	No longer used by the application. This field may still be referenced on reports and/or custom pages.		
Father	Varchar(305)	Name of students father.		
Father_StudentCont_guid	Varchar(32)	Globally unique identifier for this table for SIF compliancy. Indexed.		
FedEthnicity	Number(10,0)	Numerical answer to the question "Is the student Hispanic or Latino?" Valid values : -1 = Default value, user has not yet made a selection 0 = No 1 = Yes 2 = User-defined answer specified on the Federal Ethnicity and Race Settings page.		
FedRaceDecline	Number(10,0)	Valid values: 0 = Value assigned by default or one or more values specified in the StudentRace table 1 = Declined to specify race (no rows should appear in the StudentRace table)		
Fee_Exemption_Status	Number(10,0)	Determines what fees this student is exempt from. Valid values: 0 = Students Not Exempted 1 = Students Exempted from CourseFees, 2 = Students Exempted from SchoolFees, 3 = Students Exempted from All Fees.		
First Name	Varchar(100)	Students' first name.		
FTEID	Number(10,0)	The internal number for the FTE with which this record is associated. Indexed.		
FullTimeEquiv_Obsolete	Float	No longer used by the application. This field may still be referenced on reports and/or custom pages. FTEID is now used. Originally, Full- time equivalency to determine if this is a full-time or part-time student. The largest number for this will usually be 1 and fractions are		
		expressed as decimals such as .5 or .25. Note: The column name was renamed from FullTimeEquiv to FullTimeEquiv_Obsolete in ver4.0.0.		

Off-mary VaraNumber (1)The spart he current earry enters in the car he is not maper 0-fording priorInterpret 0-fording priorGrade LordNumber (10)Not bary statio by the application. This field may still be efferancedInterpret 0-fording priorGradk SepterNumber (10)Not bary statio by the application. This field may still be efferancedInterpret 0-fording priorGraduated School IDNumber (10)Notes the trave of the inter of graduation of the use of th	Geocode	Varahar(50)	Y atit. de llan ait. de coondinates for the student's minutes address		
Grade_1 evol       Number(10)       The grade he student is in Steer the is an integer 0-Kindergaten 1.         GradBospiet       Vaclam3       No longer used by the application. This field may still be referenced in reports and/or studen pages.         GradBospiet1       Namber(100)       The graduation requirements this student follows. Links to the ID on the GradBox (164 (37).         GradBospiet1       Number(100)       Clears take upon the inne of the student graduated forms on the user on search for the rise of the student graduated forms on the user on search for the rise of the student graduated forms on the user on search for the rise of the student graduated forms on the user on search for the rise of the student students; indexed.         Graduated_SchoolName       Varchau(60)       Graduated for the student is in Student for State and States.         Graduated_SchoolName       Varchau(60)       Graduated for the student is in States and students.         Graduated_SchoolName       Varchau(72)       Graduated for the student is in States and students.         Graduated_SchoolName       Varchau(72)       Graduated for the student is in States and students.         Graduated_SchoolName       Varchau(72)       Graduated for the student.       The student is in States and students.         Graduated_SchoolName       Varchau(78)       The student is in student in the student.       The student is in student is in student in the student.         Graduated_SchoolName       Varchau(78)       The student is in s		Varchar(50)	Latitude/longitude coordinates for the student's primary address.		
Interface     Interface     Interface       Goall Region     Variability     No longer used by the application. This field may all be referenced on reports and/or cactor magnets.     Interface       Goallanced, Rank     Number(100)     The gradiantom requirements this student follows. Links to the 1D on the Control of the Control number the random graduation on the user on density. Students Number(100)     Stores the school number the random graduation for the student control number of the school number the random graduation for the student density. Students Number(100)     Stores the school number the random graduation for the student control number of the school number the random graduation school.       Goalland Schooll Number (100)     Paree/graduation for the school number for the school number for the school number of the school number of the school number of the school number of the school number for the sc					
Induction         Instruction         Instruction         Instruction           Gradiated Rank         Number(10)         The gradiation function fragments in structure follows. Links to the Dom (the Gradiated Rank)         Number(10)         Since the school number the school regradiation.         Image: Since Sinc	_		-2=Preschool. Indexed.		
indexindexindexindexGraduated LaskNarker (10)Class runt approach the inter of graduation.Image of the inter of graduation of the subset graduated from so the user of a search of hr in the of cadated Stadents schoot.Graduated Laskon/NameVarbar(20)Stores the summe of the school the student graduated from so the user of a search of hr in the of raid activated Stadents schoot.Graduated School NameVarbar(22)Globally unique identifier for his table for SIP compliancy. Indexed.Gaurdian Staden(Cort grad Varbar(22)Globally unique identifier for his table for SIP compliancy. Indexed.Brone, PonceVarbar(20)Hone phone multic for the student fordexed.Brone, RoomVarbar(20)Hone phone multic for studen. Indexed.Brone, RoomVarbar(20)Nonger used by the application. This field may still be referenced in reports and/or schoole. This is school. This varbar(1)Brone School Network (10)Stadent Towin and lack hese mones from school.ProvedSchadtar(10)Stadent Towin and lack hese mones from school.ProvedSchadtar(10)Stadent Towin and lack hese mones from school.Brone School Network (10)Stadent Towin and lack hese mones from school.Brone School Network (10)Stadent Towin and lack hese mones from school.Brone School Network (10)Stadent Towin and lack hese mones from school.Brone School Network (10)Stadent Towin and lack hese mones from school.Brone School Network (10)Stadent Towin and lack hese mones from school.Brone School Network (10)Stadent Towin and lack hese mones from school Network (10)Bron	GradReqSet	Varchar(3)	<b>C S H</b>		
Graduard School DNumber (10)Notes the school number to student graduated from so the user search for hum or her in the Graduated Skdoots school.Image: Comparison of the school the student graduated from so the user school from or her in the Graduated Skdoots school.Image: Comparison of the school the student graduated from so the user school from or her in the Graduated Skdoots school.Image: Comparison of the school for school from school from so the user of school for school from so the user of school for school from school fr	GradReqSetID	Number(10,0)			
nn<n<n<n<n<n<n<n<n<n<n<n<n<n<n<n<n<n<n<n<n<n<n<n< <td>Graduated_Rank</td> <td>Number(10,0)</td> <td>Class rank upon the time of graduation.</td> <td></td> <td></td>	Graduated_Rank	Number(10,0)	Class rank upon the time of graduation.		
orororororororGrandma, Maddor out, BallGlobally migned learning for his table for SFL complany, Indexed.IDIDIDGonzilanizationVachaloyParenty garding fram sample.IDIDIDIDIDHome, PhoneVachaloyHome phone number for the stadent. Indexed.ID	Graduated_SchoolID	Number(10,0)			
GardamEnnalCLOBPercentyguardam enal address.Image of the state of	Graduated_SchoolName	Varchar(60)			
GaudtanFax         Varehar(20)         Home return paraligned number.         Image (Constraint)         Image (Con	Guardian_StudentCont_guid	Varchar(32)	Globally unique identifier for this table for SIF compliancy. Indexed.		
Home, PhoneVarchar(30)Home pumber for the student Indexed.InterferencedInterferencedHome, RoomVarchar(30)No hogene used by the application. This field may sull be referencedInterferencedHousesVarchar(10)Sho, field the necessary to capture the house value assigned in PowerScheduler to a student. This will need to be moved from Student-Scheduler to a student. This will need to be moved from Student-Scheduler to a student. This will need to be moved from Student-Scheduler to a student. This will need to be moved from Student-Scheduler to a student. This will need to be moved from Student-Scheduler to a student. This will need to be moved from Student-Scheduler to a student. This will need to be moved from Student-Scheduler to a student. This will need to be moved from Student-Scheduler to a student. This will need to be moved from Student-Scheduler to a student. This will neede to be provided value values: a student student information has been migrated to 	GuardianEmail	CLOB	Parent/guardian email address.		
Home_Recom       Varchar(60)       No longer used by the application. This field may still be referenced         House       Varchar(10)       This field in necessary to capture the house value assigned in         PowerScheduler to a student. This will need to be moved from       Four students sched, Nave Yaaribouse during the End-of-Yaar process. The field stores the text value of house (i.e. Hawhoreh).         ID       Number(10,0)       Scapantial number generated by the application, but uniqueness in the values: so guaranteed. Indexed.         IAM provide the start value of house (i.e. Hawhoreh).       Scapantial number generated by the application, but uniqueness in the values: so guaranteed. Indexed.         IAM provide the value of the student information has been migrated to Construct Management (Person and related tables). Required Valid values: 1 = Tre       Imagement (Person and related tables). Required Valid Valid Values.         Last Name       Varchar(305)       Last, First, Mi: Indexed.       Imagement (Person and related tables). Required Nation (Person and related tables). Required Nation (Person and Constor pages.       Imagement (Person and Person (Person (Person Person (Person (Person Person (Person Person (Person (Person	GuardianFax	Varchar(30)	Parent/guardian fax number.		
Interpreta and/or custom pages.Interpreta and/or custom pages.Interpreta and/or custom pages.HouseVarchar(0)Suguentic lis encessary to cupture the house value assigned in Students Stelle, Next Varthor Dy house (i.e., lawthorne).Interpreta stelle is not guaranteed. Indexed.IDNumber(100)Suguentic line by the application, but uniqueness in the value is not guaranteed. Indexed.Interpreta stelle is not guaranteed. Indexed.ISMgratedNumber(100)Flig indexing if the Student information has been migrated to values: - 1 = True 0 = False (Defnult)Interpreta stelle is not guaranteed.Last, NameVarchar(100)Sudents last name.Interpreta stelle - Palse (Defnult)LastNameVarchar(100)Sudents last name.Interpreta stelle - Palse (Defnult)LastNameVarchar(100)Sudents last name.Interpreta stelle - Palse (Defnult)Locker, CombinationVarchar(100)Varchar(200)Students last name.Interpreta stelle - Palse (Defnult)Locker, CombinationVarchar(100)Varchar(200)Varchar(200)Varchar(200)Locker, CombinationVarchar(200)Varchar(200)Varchar(200)Varchar(200)Locker, CombinationVarchar(200)Palse to value on stelle and palses.Interpreta stelle - Interpreta stelleLand, IDFloatThe students Power Lunch number IndexedInterpreta stelle - Interpreta stelleLand, IDVarchar(200)Represents the portion of funch a student mating address.Interpreta stelle - Interpreta stelleMailing, StreteVarchar(200) <t< td=""><td></td><td>Varchar(30)</td><td>1 1</td><td></td><td></td></t<>		Varchar(30)	1 1		
PowerScheduler to a student. This will need to be moved from Studentsched Neutrophenoes. The Ided stores the text value of house (i.e. Hawthorne).Image: Construction interface state in the student information, but intiqueness in the 	Home_Room	Varchar(60)			
indexindexindexindexIsMigratedNumber(1,0)Figuication (if the Student information has been migrated to Contact Management (Person and related tables). Required. Valid and these: i = True i = True <b< td=""><td>House</td><td></td><td>PowerScheduler to a student. This will need to be moved from Students:Sched_NextYearHouse during the End-of-Year process. The field stores the text value of house (i.e. Hawthorne).</td><td></td><td></td></b<>	House		PowerScheduler to a student. This will need to be moved from Students:Sched_NextYearHouse during the End-of-Year process. The field stores the text value of house (i.e. Hawthorne).		
Contact Management (Person and related tables). Required. Valid values: 1 = True 3 = False (Defauit)Last NameVarchar1000Students last name.Last NameVarchar1005Last, First, M. Indexed.LastMealVarchar200Stores the date of last lunch purchase.LDAPEnabledNumber(10.00)Used for LDAP support.Locker_CombinationVarchar200No longer used by the application. This field may still be referenced on propris and/or custom pages.Locker_CombinationVarchar200No longer used by the application. This field may still be referenced on propris and/or custom pages.LogCLOBPlace to write notes about transferring students.Imagement (Parson Pages)LogCLOBPlace to write notes about transferring students.Imagement (Parson Pages)Lunch IDFloatThe students PowerLunch number. Indexed.Imagement (Parson Pages)Lunch JDVarchar300City part of the mailing address.Imagement (Parson Pages)Mailing CatevodVarchar400Street address of the student's mailing address.Imagement (Parson Pages)Mailing StreetVarchar400Street address of the mailing address.Imagement (Parson Pages)Mailing StreetVarchar400Studen's membership. The largest number for this will usually be 1 and fractions expressed as decimals. If a student 	ID	Number(10,0)			
LastFirstVarchar(305)Last, First, Mi. Indexed.Image: Construction of the set of the set of the set of the purchase.LastMealVarchar(20)Stores the date of last lunch purchase.Image: Construction of the set of th	IsMigrated	Number(1,0)	Contact Management (Person and related tables). Required. Valid values: 1 = True		
LastMeal       Varchar(20)       Stores the date of last lunch purchase.       Image: Combination         LDAPEnabled       Number(10.0)       Used for LDAP support.       Image: Combination         Locker_Combination       Varchar(20)       No longer used by the application. This field may still be referenced on reports and/or custom pages.         Locker_Number       Varchar(15)       No longer used by the application. This field may still be referenced on reports and/or custom pages.         Log       CLOB       Place to write notes about transferring students.         Lunch ID       Float       The students PowerLanch number. Indexed.         LunchStatus       Varchar(3)       Represents the portion of lunch a student must pay for: Blank=No status P=Full pay R=Reduced F=Free E=Exempt T=Temporary EFDC=Free-DC.         Mailing_City       Varchar(50)       City part of the mailing address.         Mailing_Geocode       Varchar(00)       Street address of the mailing address.         Mailing_Zip       Varchar(10)       The zip code in the students mailing address.         Mailing_Zip       Varchar(10)       The zip code in the students mailing address.         Mailing_Zip       Varchar(10)       The zip code in the students mailing address.         Mailing_Lipan       Float       The amount of a student's membership this school claims. If a student as ucertam portion of thume school cach one will only be able to claim a certam	Last_Name	Varchar(100)	Students last name.		
LDAPEnabled       Number(10.0)       Used for LDAP support.         Locker_Combination       Varchar(20)       No longer used by the application. This field may still be referenced on reports and/or custom pages.         Locker_Number       Varchar(15)       No longer used by the application. This field may still be referenced on reports and/or custom pages.         Log       CLOB       Place to write notes about transferring students.         Lunch ID       Float       The students PowerLunch number. Indexed.         LunchStatus       Varchar(3)       Represents the portion of lunch a student must pay for: Blank=No status P=Full pay R=Reduced F=Free E=Exempt T=Temporary EDC=Free-DC.         Mailing_City       Varchar(50)       City part of the mailing address.         Mailing_State       Varchar(20)       Street address of the mailing address.         Mailing_Street       Varchar(10)       The zip code in the student's mailing address.         Mailing_Zip       Varchar(10)       The amount of a student's mothers.         Mailing_Zip       Varchar(10)       Street address of the mailing address.         Mailing_Zip       Varchar(10)       The amount of a student's mother.         MembershipShare       Float       The amount of a student's mother.         Mother       Varchar(32)       Globally unique identifier for this table for SIF compliancy. Indexed.         Next_School <td>LastFirst</td> <td>Varchar(305)</td> <td>Last, First, Mi. Indexed.</td> <td></td> <td></td>	LastFirst	Varchar(305)	Last, First, Mi. Indexed.		
Locker_Combination       Varchar(20)       No longer used by the application. This field may still be referenced on reports and/or custom pages.         Locker_Number       Varchar(15)       No longer used by the application. This field may still be referenced on reports and/or custom pages.         Log       CLOB       Place to write notes about transferring students.         Lunch.1D       Float       The students PowerLunch number. Indexed.         LunchStatus       Varchar(3)       Represents the portion of lunch a student must pay for: Blank=No status P=Full pay R=Reduced P=Free E=Exempt T=Temporary         FDC=Free-DC.       Mailing_Geocode       Varchar(20)       Latitude/longitude coordinates for the student's mailing address.         Mailing_Geocode       Varchar(20)       State part of the mailing address.       Image: Comparison of the mailing address.         Mailing_Street       Varchar(10)       The zudents of the mailing address.       Image: Comparison of the mombership this school claims. If a student membership the larget number for this will usually be 1 and fractions expressed as decimals. Like. 5 or .25.         Middle_Name       Varchar(30)       Student's middle name.         Mother       Varchar(30)       Student's mother.         Mother       Varchar(30)       Student's mother.         Mother       Varchar(30)       Student's mother.         Mother_StudentCont guid       Varchar(30)       Globa	LastMeal	Varchar(20)	Stores the date of last lunch purchase.		
Income set of the standard custom pages.Income set of the standard custom pages.Income set of the standard custom pages.Locker_NumberVarchar(15)No longer used by the application. This field may still be referenced on reports and/or custom pages.Income set of the standard custom pages.LogCLOBPlace to write notes about transferring students.Income set of the student Page set.Lunch IDFloatThe students PowerLunch number. Indexed.Income set of the student Page set.LunchStatusVarchar(3)Represents the portion of lunch a student must pay for: Blank=No status P=Full pay R=Reduced F=Free E=Exempt T=Temporary EDC=Free.DC.Mailing_CityVarchar(50)Latitude/longitude coordinates for the student's mailing address.Income set.Mailing_StateVarchar(2)State part of the mailing address.Income set.Income set.Mailing_StreetVarchar(10)The zip code in the students mailing address.Income set.Income set.MembershipShareFloatThe amount of a student's membership this school claims. If a student a certain portion of the membership. The largest number for this will usually be 1 and fractions expressed as decimals. Like 5 or 25.Income set.MotherVarchar(30)Student's mother.Income set.Income set.Next_SchoolNumber(100)The school the student will be attending the next school year. It is information is stored as the intermal ID on the school stabe for this school.Income set.PriorNumber(100)The school the student on PowerLink. Indexed.Income set.Middle_NameVarchar(32)Globally uni	LDAPEnabled	Number(10,0)	Used for LDAP support.		
IndexIndexIndex of the proofs and/or custom pages.IndexLogCLOBPlace to write notes about transferring students.IndexLunch JDFloatThe students PowerLunch number. Indexed.IndexLunch StatusVarchar(3)Represents the portion of lunch a student must pay for: Blank=No status P=Full pay R=Reduced F=Free E=Exempt T=Temporary FDC=Free-DC.Mailing_CityVarchar(50)City part of the mailing address.IndexMailing_GeccodeVarchar(50)Latitude/longitude coordinates for the student's mailing address.IndexMailing_StreetVarchar(10)Street address of the mailing address.IndexMailing_ZipVarchar(10)The zip code in the students mailing address.IndexMailing_ZipVarchar(10)The zip code in the students mailing address.IndexMiddle_NameVarchar(30)Student's midden amendership this school claim a certarin portion of the membership. The largest number for this will 	Locker_Combination	Varchar(20)			
Lunch_IDFloatThe students PowerLunch number. Indexed.LunchStatusVarchar(3)Represents the portion of lunch a student must pay for: Blank=No status P=Rull pay R=Reduced F=Free E=Exempt T=Temporary FDC=Free-DC.Mailing_CityVarchar(50)City part of the mailing address.Mailing_GeccodeVarchar(50)Latitude/Ingitude coordinates for the student's mailing address.Mailing_StateVarchar(2)State part of the mailing address.Mailing_StreetVarchar(10)The zip code in the students mailing address.Mailing_StreetVarchar(10)The zip code in the students mailing address.Mailing_YipVarchar(10)The zip code in the students mailing address.Mailing_YipVarchar(10)The zip code in the students mailing address.Mailing_YipVarchar(10)The zip code in the student's membership this school claims. If a student attends more than one school each one will only be able to claim a certain portion of the membership. The largest number for this will usually be 1 and fractions expressed as decimals. Like .5 or .25.Middle_NameVarchar(30)Student's mother.MotherVarchar(30)Student's mother.Mother_StudentCont_guidVarchar(30)Student's mother.MemberShipShareIn eschool table for that school. Presson just school scale in formation is stored as the internal ID on the school stable for that school.Next_SchoolNumber(10,0)The related person in the Relationship table. Indexed.PhotoFlagNumber(10,0)The related person in the Relationship table. Indexed.PhotoFlagNumber(10,0	Locker_Number	Varchar(15)			
Lunch_IDFloatThe students PowerLunch number. Indexed.LunchStatusVarchar(3)Represents the portion of lunch a student must pay for: Blank=No status P=Full pay R=Reduced F=Free E=Exempt T=Temporary FDC=Free-DC.Mailing_CityVarchar(50)City part of the mailing address.Mailing_GeocodeVarchar(20)State part of the mailing address.Mailing_StateVarchar(20)State part of the mailing address.Mailing_StreetVarchar(10)The zip code in the student's mailing address.Mailing_ZipVarchar(10)The zip code in the students mailing address.Mailing_ZipVarchar(10)The zip code in the student's membership this school claims. If a student attends more than one school each one will only be able to claim a certain portion of the membership. The largest number for this will usually be 1 and fractions expressed as decimals. Like .5 or .25.Middle_NameVarchar(30)Student's mother.MotherVarchar(32)Globally unique identifier for this table for SIF compliancy. Indexed.Mother_StudentCont_guidVarchar(32)The school the student will be attending the next school year. It is likely this will be the same school. The information is stored as the internal ID on the school stable for this school.Person_IDNumber(10.0)The number for the student on PowerLink. Indexed.Phone_IDNumber(10.0)The number for the student on PowerLink. Indexed.Phone_IDNumber(10.0)Sto I if a photo exists for this student.Phone_IDNumber(10.0)The number for the student on PowerLink. Indexed.Phone_IDNumber(10.0)<	Log	CLOB	Place to write notes about transferring students.		
status P=Full pay R=Reduced F=Free E=Exempt T=Temporary FDC=Free-DC.Image: Status P=Full pay R=Reduced F=Free E=Exempt T=Temporary FDC=Free-DC.Mailing_CityVarchar(50)City part of the mailing address.Image: Status P=Full pay R=Reduced F=Free E=Exempt T=Temporary FDC=Free-DC.Mailing_GeocodeVarchar(50)Latitude/longitude coordinates for the student's mailing address.Image: Status P=Full pay R=Reduced F=Free E=Exempt T=Temporary For the mailing address.Image: Status P=Full pay R=Reduced F=Free E=Exempt T=Temporary For the mailing address.Image: Status P=Full pay R=Reduced F=Free E=Exempt T=Temporary For the mailing address.Image: Status P=Full pay R=Reduced F=Free E=Exempt T=Temporary For the mailing address.Image: Status P=Full pay R=Reduced F=Free E=Exempt T=Temporary For the mailing address.Image: Status P=Full pay R=Reduced F=Free E=Exempt T=Temporary For the mailing address.Image: Status P=Full pay R=Reduced F=Free E=Exempt T=Temporary For the mailing address.Image: Status P=Full pay R=Reduced F=Free E=Exempt T=Temporary For the mailing address.Image: Status P=Full pay R=Reduced P=For the status Pay R=Reduced Pay		Float	The students PowerLunch number. Indexed.		
Mailing_Geocode       Varchar(50)       Latitude/tongitude coordinates for the student's mailing address.         Mailing_State       Varchar(2)       State part of the mailing address.         Mailing_Street       Varchar(60)       Street address of the mailing address.         Mailing_Zip       Varchar(10)       The zip code in the students mailing address.         MembershipShare       Float       The amount of a student's membership this school claims. If a student attends more than one school each one will only be able to claim a certain portion of the membership. The largest number for this will usually be 1 and fractions expressed as decimals. Like .5 or .25.         Middle_Name       Varchar(30)       Student's mother.         Mother       Varchar(32)       Globally unique identifier for this table for SIF compliancy. Indexed.         Next_School       Number(10,0)       The school the student will be attending the next school year. It is likely this will be the same school. The information is stored as the intermal ID on the schools table for that school.         Person_ID       Number(10,0)       The number for the student on PowerLink. Indexed.         PhotoFlag       Number(10,0)       Set to 1 if a photo exists for this student.         PL_Language       Varchar(30)       Set to 1 if a photo exists for the students. Indexed.         PhotoFlag       Number(10,0)       Set to 1 if a photo exists for the students. Indexed.         PhotoFlag       <	LunchStatus	Varchar(3)	status P=Full pay R=Reduced F=Free E=Exempt T=Temporary		
Mailing_StateVarchar(2)State part of the mailing address.Mailing_StreetVarchar(60)Street address of the mailing address.Mailing_ZipVarchar(10)The zip code in the students mailing address.MembershipShareFloatThe amount of a student's membership this school claims. If a student attends more than one school each one will only be able to claim a certain portion of the membership. The largest number for this will usually be 1 and fractions expressed as decimals. Like .5 or .25.Middle_NameVarchar(30)Student's middle name.MotherVarchar(305)Name of student's mother.MotherVarchar(32)Globally unique identifier for this table for SIF compliancy. Indexed.Next_SchoolNumber(10,0)The school the student will be attending the next school year. It is likely this will be the same school. The information is stored as the internal ID on the schools table for that school.Person_IDNumber(10,0)The related person in the Relationship table. Indexed.Phone_IDNumber(10,0)The number for the student on PowerLink. Indexed.PhotoFlagNumber(10,0)Set to 1 if a photo exists for this student.PSGUIDVarchar(20)If used, a unique identifier for the row. Currently applicable to multi- tenant, Schoolnet, and Pearson SuccessNet/Pearson SuccessNet Plus.	Mailing_City	Varchar(50)	City part of the mailing address.		
Mailing_StreetVarchar(60)Street address of the mailing address.Mailing_ZipVarchar(10)The zip code in the students mailing address.MembershipShareFloatThe amount of a student's membership this school claims. If a student attends more than one school each one will only be able to claim a certain portion of the membership. The largest number for this will usually be 1 and fractions expressed as decimals. Like .5 or .25.Middle_NameVarchar(30)Student's middle name.MotherVarchar(30)Name of student's mother.Mother_StudentCont_guidVarchar(32)Globally unique identifier for this table for SIF compliancy. Indexed.Next_SchoolNumber(10,0)The school the student will be attending the next school year. It is likely this will be the same school.Person_IDNumber(10,0)The related person in the Relationship table. Indexed.Phone_IDNumber(10,0)St to 1 if a photo exists for this student.PhotoFlagNumber(10,0)St to 1 if a photo exists for this student.PSGUIDVarchar(50)If used, a unique identifier for the row. Currently applicable to multi- tenant, Schoolnet, and Pearson SuccessNet/Pearson SuccessNet Plus.	Mailing_Geocode	Varchar(50)	Latitude/longitude coordinates for the student's mailing address.		
Mailing_ZipVarchar(10)The zip code in the students mailing address.Image: Content of the student of a student's membership this school claims. If a student attends more than one school each one will only be able to claim a certain portion of the membership. The largest number for this will usually be 1 and fractions expressed as decimals. Like .5 or .25.Image: Content of the membership. The largest number for this will usually be 1 and fractions expressed as decimals. Like .5 or .25.Image: Content of the membership. The largest number for this will usually be 1 and fractions expressed as decimals. Like .5 or .25.Image: Content of the membership. The largest number for this will usually be 1 and fractions expressed as decimals. Like .5 or .25.Image: Content of the transmitted of the membership. The largest number for this will usually be 1 and fractions expressed as decimals. Like .5 or .25.Image: Content of the transmitted of the membership. The largest number for this will usually be 1 and fractions expressed as decimals. Like .5 or .25.Middle_NameVarchar(30)Student's mother.Image: Content of the student of the transmitted of the student will be attened on the information is stored as the internal ID on the schools table for that school.Next_SchoolNumber(10,0)The related person in the Relationship table. Indexed.Image: Content of the transmitted of th	Mailing_State	Varchar(2)	State part of the mailing address.		
MembershipShareFloatThe amount of a student's membership this school claims. If a student attends more than one school each one will only be able to claim a certain portion of the membership. The largest number for this will usually be 1 and fractions expressed as decimals. Like .5 or .25.Middle_NameVarchar(30)Student's middle name.MotherVarchar(302)Student's mother.MotherVarchar(32)Globally unique identifier for this table for SIF compliancy. Indexed.Mext_SchoolNumber(10,0)The school the student will be attending the next school year. It is likely this will be the same school. The information is stored as the internal ID on the schools table for that school.Person_IDNumber(10,0)The related person in the Relationship table. Indexed.PhotoFlagNumber(10,0)Set to 1 if a photo exists for this student.PL_LanguageVarchar(22)PowerLink language, which is either Spanish or English.PSGUIDVarchar(50)If used, a unique identifier for the row. Currently applicable to multi- tenant, Schoolnet, and Pearson SuccessNet/Pearson SuccessNet Plus.	Mailing_Street	Varchar(60)	Street address of the mailing address.		
And the second	Mailing_Zip	Varchar(10)	The zip code in the students mailing address.		
MotherVarchar(305)Name of student's mother.Mother_StudentCont_guidVarchar(32)Globally unique identifier for this table for SIF compliancy. Indexed.Next_SchoolNumber(10,0)The school the student will be attending the next school year. It is likely this will be the same school. The information is stored as the internal ID on the schools table for that school.Person_IDNumber(10,0)The related person in the Relationship table. Indexed.Phone_IDNumber(10,0)The number for the student on PowerLink. Indexed.PhotoFlagNumber(10,0)Set to 1 if a photo exists for this student.PL_LanguageVarchar(12)PowerLink language, which is either Spanish or English.PSGUIDVarchar(50)If used, a unique identifier for the row. Currently applicable to multi- tenant, Schoolnet, and Pearson SuccessNet/Pearson SuccessNet Plus.	MembershipShare	Float	attends more than one school each one will only be able to claim a certain portion of the membership. The largest number for this will		
Mother_StudentCont_guidVarchar(32)Globally unique identifier for this table for SIF compliancy. Indexed.Next_SchoolNumber(10,0)The school the student will be attending the next school year. It is likely this will be the same school. The information is stored as the internal ID on the schools table for that school.Person_IDNumber(10,0)The related person in the Relationship table. Indexed.Phone_IDNumber(10,0)The number for the student on PowerLink. Indexed.PhotoFlagNumber(10,0)Set to 1 if a photo exists for this student.PL_LanguageVarchar(12)PowerLink language, which is either Spanish or English.PSGUIDVarchar(50)If used, a unique identifier for the row. Currently applicable to multi- tenant, Schoolnet, and Pearson SuccessNet/Pearson SuccessNet Plus.If used, a unique identifier for the row. Currently applicable to multi- tenant, Schoolnet, and Pearson SuccessNet/Pearson SuccessNet Plus.	Middle_Name	Varchar(30)	Student's middle name.		
Next_SchoolNumber(10,0)The school the student will be attending the next school year. It is likely this will be the same school. The information is stored as the internal ID on the schools table for that school.Person_IDNumber(10,0)The related person in the Relationship table. Indexed.Phone_IDNumber(10,0)The number for the student on PowerLink. Indexed.PhotoFlagNumber(10,0)Set to 1 if a photo exists for this student.PL_LanguageVarchar(12)PowerLink language, which is either Spanish or English.PSGUIDVarchar(50)If used, a unique identifier for the row. Currently applicable to multi- tenant, Schoolnet, and Pearson SuccessNet/Pearson SuccessNet Plus.If used, a unique identifier for the row. Currently applicable to multi- tenant, Schoolnet, and Pearson SuccessNet/Pearson SuccessNet Plus.	Mother	Varchar(305)	Name of student's mother.		
Image: Construction of the section	Mother_StudentCont_guid	Varchar(32)	Globally unique identifier for this table for SIF compliancy. Indexed.		
Person_IDNumber(10,0)The related person in the Relationship table. Indexed.Image: Constraint of the student on PowerLink. Indexed.Phone_IDNumber(10,0)The number for the student on PowerLink. Indexed.Image: Constraint of the student on PowerLink. Indexed.PhotoFlagNumber(10,0)Set to 1 if a photo exists for this student.Image: Constraint of the student on PowerLink. Indexed.PL_LanguageVarchar(12)PowerLink language, which is either Spanish or English.Image: Constraint of the student of the row. Currently applicable to multi-tenant, Schoolnet, and Pearson SuccessNet/Pearson SuccessNet Plus.PSGUIDVarchar(50)If used, a unique identifier for the row. Currently applicable to multi-tenant, Schoolnet, and Pearson SuccessNet/Pearson SuccessNet Plus.	Next_School	Number(10,0)	likely this will be the same school. The information is stored as the		
Phone_ID       Number(10,0)       The number for the student on PowerLink. Indexed.         PhotoFlag       Number(10,0)       Set to 1 if a photo exists for this student.       Image: Comparison of the student on PowerLink and the student.         PL_Language       Varchar(12)       PowerLink language, which is either Spanish or English.       Image: Comparison of the student of the student on PowerLink and the student of the stude	Person_ID	Number(10,0)			
PL_Language       Varchar(12)       PowerLink language, which is either Spanish or English.         PSGUID       Varchar(50)       If used, a unique identifier for the row. Currently applicable to multi-tenant, Schoolnet, and Pearson SuccessNet/Pearson SuccessNet Plus. If used, a unique identifier for the row. Currently applicable to multi-tenant, Schoolnet, and Pearson SuccessNet/Pearson SuccessNet Plus.	Phone_ID	Number(10,0)	The number for the student on PowerLink. Indexed.		
PSGUID       Varchar(50)       If used, a unique identifier for the row. Currently applicable to multi- tenant, Schoolnet, and Pearson SuccessNet/Pearson SuccessNet Plus. If used, a unique identifier for the row. Currently applicable to multi- tenant, Schoolnet, and Pearson SuccessNet/Pearson SuccessNet Plus.	PhotoFlag	Number(10,0)	Set to 1 if a photo exists for this student.		
tenant, Schoolnet, and Pearson SuccessNet/Pearson SuccessNet Plus. If used, a unique identifier for the row. Currently applicable to multi- tenant, Schoolnet, and Pearson SuccessNet/Pearson SuccessNet Plus.	PL_Language	Varchar(12)	PowerLink language, which is either Spanish or English.		
	PSGUID	Varchar(50)	tenant, Schoolnet, and Pearson SuccessNet/Pearson SuccessNet Plus. If used, a unique identifier for the row. Currently applicable to multi-		
Schedulock ENTIMPERTUUM LINIS TIELO WILLOCK Individual students' schedules from Load	Sched LoadLock	Number(10,0)	This field will lock individual students' schedules from Load.		

Sched_LockStudentSchedule	Number(10,0)	True/False: True (selected)=Do not allow the schedule to be changed			
		by PowerScheduler. False (deselected)=Schedule this student when the scheduling engine is run.			
Sched_NextYearBuilding	Varchar(10)	The building this student will be in next year for schools with multi- building needs.			
Sched_NextYearBus	Varchar(20)	No longer used by the application. This field may still be referenced on reports and/or custom pages.			
Sched_NextYearGrade	Number(10,0)	The grade the student is going to be in next year. If the student is being retained, this should be the same as the current grade level.			
Sched_NextYearHomeRoom	Varchar(10)	No longer used by the application. This field may still be referenced on reports and/or custom pages.			
Sched_NextYearHouse	Varchar(10)	The house this student will belong to next year. This is used for scheduling purposes. A house is most often used for school within a school type of scheduling.			
Sched_NextYearTeam	Varchar(10)	The team this student will belong to next year.			
Sched_Priority	Number(10,0)	Indicates when you want this student to be scheduled in relation to the other students. The lower the number, the sooner he or she is scheduled.			
Sched_Scheduled	Number(10,0)	A flag indicating if this student has had a schedule built for them. True means they do have a schedule and another will not be made unless the engine is told to reschedule regardless of this flag. False, the engine will build a schedule for this student next time.			
Sched_YearOfGraduation	Number(10,0)	Year of graduation. This changes if the student fails or skips a grade.			
SchoolEntryDate	Date	A static field with no coding used to hold information entered by the district.			
SchoolEntryGradeLevel	Number(10,0)	Grade level of the student for entering into this school.			
SchoolID	Number(10,0)	The School_Number of the associated Schools record.			
SDataRN	Number(10,0)	No longer used by the application. This field may still be referenced on reports and/or custom pages.			
Simple_GPA	Float	The simple GPA for the student as of the last time GPA calculations ran.			
Simple_PCT	Float	The simple percent GPA for the student as of the last time GPA calculations ran.			
SSN	Varchar(12)	Students Social Security number. Indexed.	No student SSNs	are kept in Power	School
State	Varchar(2)	State element of address.			
State_EnrollFlag	Number(10,0)	True/False. Used for state reporting to indicate he or she is enrolled at the state level.			
State_ExcludeFromReportin	Number(10,0)	True/False. Used for state reports to exclude certain students from reports. Most often, these will be special education students who are reported differently.			
State_StudentNumber	Varchar(32)	The state-assigned student number for the student. In most cases, this number should stay the same from school to school.			
Street	Varchar(60)	Student's street address.			
Student_AllowWebAccess	Number(10,0)	Allow student user webID to log in to parent/student page: 1=Yes 0=No			
Student_Number	Float	Student Number assigned by the school. Indexed.			
Student_Web_ID	Varchar(20)	The student user ID for logging in to PowerSchool Parent. Indexed.			
Student_Web_Password	Varchar(20)	The password for Student_Web_ID.			
StudentPers_guid	Varchar(32)	Globally unique identifier for this table for SIF compliancy. Indexed.			
StudentPict_guid	Varchar(32)	Globally unique identifier for this table for SIF compliancy. Indexed.			
StudentSchlEnrl_guid	Varchar(32)	Globally unique identifier for this table for SIF compliancy. Indexed.			
SummerSchoolID	Number(10,0)	School Identifier for this Student's Summer School, if applicable.			
SummerSchoolNote	Varchar(80)	Notes specific to this Student's Summer School.			
TeacherGroupID	Number(10,0)	No longer used by the application. This field may still be referenced on reports and/or custom pages.			
Team	Varchar(10)	This field is necessary to capture the team value assigned in PowerScheduler to a student. This will need to be moved from Students:Sched_NextYearTeam during the End-of-Year process. Sched_NextYearTeam captures the record ID from the Gen table (Cat = TeacherGroups). Current_Team cannot capture the ID since this record is part of PowerScheduler and may be changed when scheduling for a future year. An acceptable compromise is to capture			
		the value instead (i.e. Blue) and store this.			
Track	Varchar(20)	the value instead (i.e. Blue) and store this. A-H or blank. This represents the times of year a student goes to school. This is most common with year-round schools.			
Track TransferComment	Varchar(20)	A-H or blank. This represents the times of year a student goes to			

	1	1	1	
Web_ID	Varchar(20)	The parent user ID for logging in to PowerSchool Parent. Indexed.		
Web_Password	Varchar(20)	The parent password for logging in to PowerSchool Parent.		
Withdrawal_Reason_Code	Varchar(3)	Reason code provided when a student withdraws from school.		
WM_Address	Varchar(70)	No longer used by the application. This field may still be referenced on reports and/or custom pages.		
WM_CreateDate	Date	No longer used by the application. This field may still be referenced on reports and/or custom pages.		
WM_CreateTime	Time	No longer used by the application. This field may still be referenced on reports and/or custom pages.		
WM_Password	Varchar(20)	No longer used by the application. This field may still be referenced on reports and/or custom pages.		
WM_Status	Varchar(10)	No longer used by the application. This field may still be referenced on reports and/or custom pages.		
WM_StatusDate	Date	No longer used by the application. This field may still be referenced on reports and/or custom pages.		
WM_TA_Date	Date	No longer used by the application. This field may still be referenced on reports and/or custom pages.		
WM_TA_Flag	Varchar(3)	No longer used by the application. This field may still be referenced on reports and/or custom pages.		
WM_Tier	Number(10,0)	No longer used by the application. This field may still be referenced on reports and/or custom pages.		
Zip	Varchar(10)	Students zip cod		

## Dear Valued Customer,

As the Technical Contact for your district or school, we are reaching out to inform you that on December 28, 2024, PowerSchool become aware of a potential cybersecurity incident involving unauthorized access to certain information through one of our community-focused customer support portals, PowerSource. Over the succeeding days, our investigation determined that an unauthorized party gained access to certain PowerSchool Student Information System ("SIS") customer data using a compromised credential, and we regret to inform you that your data was accessed.

Please review the following information and be sure to share this with relevant security individuals at your organization.

As soon as we learned of the potential incident, we immediately engaged our cybersecurity response protocols and mobilized a cross-functional response team, including senior leadership and third-party cybersecurity experts. We have also informed law enforcement.

We can confirm that the information accessed belongs to certain SIS customers and relates to families and educators, including those from your organization. The unauthorized access point was isolated to our PowerSource portal. As the PowerSource portal only permits access to the SIS database, **we can confirm no other PowerSchool products were affected as a result of this incident**.

Importantly, the incident is contained, and we have no evidence of malware or continued unauthorized activity in the PowerSchool environment. PowerSchool is not experiencing, nor expects to experience, any operational disruption and continues to provide services as normal to our customers.

Rest assured, we have taken all appropriate steps to prevent the data involved from further unauthorized access or misuse. We do not anticipate the data being shared or made public, and we believe it has been deleted without any further replication or dissemination.

We have also deactivated the compromised credential and restricted all access to the affected portal. Lastly, we have conducted a full password reset and further tightened password and access control for all PowerSource customer support portal accounts.

PowerSchool is committed to working diligently with customers to communicate with your educators, families, and other stakeholders. We are equipped to conduct a thorough notification process to all impacted individuals. Over the coming weeks, we ask for your patience and collaboration as we work through the details of this notification process.

We have taken all appropriate steps to further prevent the exposure of information affected by this incident. While we are unaware of and do not expect any actual or attempted misuse of personal information or any financial harm to impacted individuals as a result of this incident, PowerSchool will be providing credit monitoring to affected adults and identity protection services to affected minors in accordance with regulatory and contractual obligations. The particular information compromised will vary by impacted customer. We anticipate that only a subset of impacted customers will have notification obligations.

In the coming days, we will provide you with a communications package to support you in engaging with families, teachers and other stakeholders about this incident. The communications package will include tailored outreach emails, talking points, and a robust FAQ so that district and school leadership can confidently discuss this incident with your community.

We understand that you may have additional questions as a result of this update. FAQs are available on <u>PowerSchool Community</u>. Additionally, we will be holding webinars with senior leaders, including our Chief Information Security Officer, to address additional concerns. Please click the link below to register for a webinar that fits your schedule. Note that content for all sessions will be identical, so you need only attend one.

Wednesday, January 8: REGISTER HERE

Thursday, January 9: REGISTER HERE

In the meantime, please reach out to your Customer Success Manager (CSM), Support, or other established PowerSchool contact should you have any questions. We will be sending communications later today to other stakeholders in your organization who are responsible for other PowerSchool products notifying them of no impact to the other PowerSchool products.

We are addressing the situation in an organized and thorough manner, and we are committed to providing affected customers with the resources and support they may need as we work through this together.

Thank you for your continued support and partnership.

Sincerely, Hardeep Gulati Chief Executive Officer

Paul Brook Chief Customer Officer

cc: **Mishka McCowan** Chief Information Security Officer PowerSchool •

Copyright © , PowerSchool Group LLC. All rights reserved. Unsubscribe

Field Name	Field Type	Description	Notes		
	J. J.				
Alert_Discipline	CLOB	One of many various alerts in PowerSchool. This field stores the text tied to the alert.			
Alert_DisciplineExpires	Date	One of many various alerts in PowerSchool. This field stores the expiration date tied to the alert.			
Alert_Guardian	CLOB	One of many various alerts in PowerSchool. This field stores the text tied to the alert.			
Alert_GuardianExpires	Date	One of many various alerts in PowerSchool. This field stores the expiration date tied to the alert.			
Alert_Medical	CLOB	One of many various alerts in PowerSchool. This field stores the text tied to the alert.			
Alert_MedicalExpires	Date	One of many various alerts in PowerSchool. This field stores the expiration date tied to the alert.			
Alert_Other	CLOB	One of many various alerts in PowerSchool. This field stores the text tied to the alert.			
Alert_OtherExpires	Date	One of many various alerts in PowerSchool. This field stores the expiration date tied to the alert.			
AllowWebAccess	Number(10,0)	Indicates whether to allow the parent user ID to log in to the parent/student page: 1=Yes 0=No			
Applic_Response_Recvd_D	Date	No longer used by the application. This field may still be referenced on reports and/or custom pages.			
Applic_Submitted_Date	Date	No longer used by the application. This field may still be referenced on reports and/or custom pages.			
Balance1	Float	Lunch balance.			
Balance2	Float	Beginning lunch balance for the year copied from balance 1 in the end-of-year process.			
Balance3	Float	Fees balance.			
Balance4	Float	No longer used by the application. This field may still be referenced on reports and/or custom pages. Beginning fee balance for the year copied from balance3 in the end-of-year process.			
Building	Varchar(10)	No longer used by the application. This field may still be referenced on reports and/or custom pages. This field is necessary to capture the building value assigned in PowerScheduler to a student. This will need to be moved from Students:Sched_NextYearBuilding during the End-of-Year process. The field stores the text value of building (i.e. Building1).			
Bus_Route	Varchar(20)	The district name for the students' bus route.			
Bus_Stop	Varchar(20)	The stop number at which the student gets on and off the bus.			
CampusID	Number(10,0)	No longer used by the application. This field may still be referenced on reports and/or custom pages.			
City	Varchar(50)	City element of the students address.			
ClassOf	Number(10,0)	Stores the calculated graduation class year.			
Cumulative_GPA	Float	No longer used by the application. This field may still be referenced on reports and/or custom pages.			
Cumulative_Pct	Float	The cumulative percent GPA for the student as of the last time GPA calculations ran.			
Custom	CLOB	This field holds all the students' custom fields and their values in key- pair format separated by semicolons.			
CustomRank_GPA	Float	The rank for the student as of the last time GPA calculations ran based on their custom calculations.			
DCID	Number(10,0)	Unique identifier for this table. Indexed. Required.			
DistrictEntryDate	Date	A static field with no coding used simply to hold information entered by the district.			
DistrictEntryGradeLevel	Number(10,0)	No longer used by the application. This field may still be referenced on reports and/or custom pages.			
DistrictOfResidence	Varchar(20)	The school district in which the student physically lives.			
DOB	Date	Date of birth.			
Doctor_Name	Varchar(305)	Name of the doctor for the student.			
Doctor_Phone	Varchar(30)	Phone number for the doctor.			
Emerg_Contact_1	Varchar(305)	Name to contact in case of an emergency.			
Emerg_Contact_2	Varchar(305)	Name to contact in case of an emergency.			
Emerg_Phone_1	Varchar(30)	Phone number for the first emergency contact.			
Emerg_Phone_2	Varchar(30)	Phone number for the second emergency contact.		]	

Enroll_Status	Number(10,0)	The enrollment status of the student.		
		-2 = Inactive		
		-1 = Pre-registered 0 = Currently enrolled		
		1 = Inactive		
		2 = Transferred out		
		3 = Graduated 4 = Imported as Historical		
		Any other value = Inactive		
Enrollment_SchoolID	Number(10,0)	This field holds the school ID value when creating reenrollment records.		
Enrollment_Transfer_Date_	I Date	Date of the pending transfer of the student from the school. If 00/00/00 then immediate transfer.		
Enrollment_Transfer_Info	BLOB	BLOB containing one or more comments regarding this transfer.		
EnrollmentCode	Number(10,0)	This can be used for any special code that needs to be attached to an enrollment. Currently, it is only used in AZ: 0=None 1=CECA 2=CECB 3=Open Enrollment		
EnrollmentID	Number(10,0)	Value which becomes the Reenrollments.ID value when the Reenrollments record is created except in the case that Reenrollments records are created for summer school. Required. Defaults to 0.		
EnrollmentType	Varchar(2)	This is used to specify what type of enrollment the student has at this school. Currently, it is only used in AZ: M=Main A=Ancillary		
EntryCode	Varchar(10)	The code representing how or why the student entered school. These codes are stored in Gen Table [6] cat=entrycodes. These are set in cacheol esture		
EntryDate	Date	school setup. The date the student enrolled in school for the current enrollment.		
		Indexed.		
Ethnicity	Varchar(20)	Heritage background of a student. The codes assigned here are stored in the Gen Table [6] Cat=Ethnicity. These are set in school setup.		
Exclude_FR_ Rank	Number(10,0)	True/False. Exclude from class rank. Used to keep particular students from counting in the class rank. This is often used for special education students.		
ExitCode	Varchar(10)	The code representing how or why the student exited the school. These codes are stored in Gen Table [6] cat=exitcodes. These are set in school setup.		
ExitComment	CLOB	Any comments for the student exiting this school.		
ExitDate	Date	The date the student exited for the current/last enrollment. This is the day after a student-attended class. For example, if the last day the student is in school is a Wednesday, Thursday is the exit day. Indexed.		
Family_Ident	Varchar(30)	No longer used by the application. This field may still be referenced on reports and/or custom pages.		
Father	Varchar(305)	Name of students father.		
Father_StudentCont_guid	Varchar(32)	Globally unique identifier for this table for SIF compliancy. Indexed.		
FedEthnicity	Number(10,0)	Numerical answer to the question "Is the student Hispanic or Latino?" Valid values : -1 = Default value, user has not yet made a selection 0 = No 1 = Yes 2 = User-defined answer specified on the Federal Ethnicity and Race Settings page.		
FedRaceDecline	Number(10,0)	Valid values: 0 = Value assigned by default or one or more values specified in the StudentRace table 1 = Declined to specify race (no rows should appear in the StudentRace table)		
Fee_Exemption_Status	Number(10,0)	Determines what fees this student is exempt from. Valid values: 0 = Students Not Exempted 1 = Students Exempted from CourseFees, 2 = Students Exempted from SchoolFees, 3 = Students Exempted from All Fees.		
First Name	Varchar(100)	Students' first name.		
FTEID	Number(10,0)	The internal number for the FTE with which this record is associated. Indexed.		
FullTimeEquiv_Obsolete	Float	No longer used by the application. This field may still be referenced on reports and/or custom pages. FTEID is now used. Originally, Full- time equivalency to determine if this is a full-time or part-time student. The largest number for this will usually be 1 and fractions are		
		expressed as decimals such as .5 or .25. Note: The column name was renamed from FullTimeEquiv to FullTimeEquiv_Obsolete in ver4.0.0.		

Off-mary VaraNumber (1)The spart he current earry enters in the car he is not maper 0-fording priorInterpret 0-fording priorGrade LordNumber (10)Not bary statio by the application. This field may still be efferancedInterpret 0-fording priorGradk SepterNumber (10)Not bary statio by the application. This field may still be efferancedInterpret 0-fording priorGraduated School IDNumber (10)Notes the trave of the inter of graduation of the use of th	Geocode	Varahar(50)	Y atitude flow situde accordinates for the student's minimum address		
Grade_1 evol       Number(10)       The grade he student is in Steer the is an integer 0-Kindergaten 1.         GradBospiet       Vaclam3       No longer used by the application. This field may still be referenced in reports and/or studen pages.         GradBospiet1       Namber(100)       The graduation requirements this student follows. Links to the ID on the GradBox (164 (37).         GradBospiet1       Number(100)       Clears take upon the inne of the student graduated forms on the user on search for the rise of the student graduated forms on the user on search for the rise of the student graduated forms on the user on search for the rise of the student graduated forms on the user on search for the rise of the student students; indexed.         Graduated_SchoolName       Varchau(60)       Graduated for the student is in Student for State and States.         Graduated_SchoolName       Varchau(60)       Graduated for the student is in States and students.         Graduated_SchoolName       Varchau(72)       Graduated for the student is in States and students.         Graduated_SchoolName       Varchau(72)       Graduated for the student is in States and students.         Graduated_SchoolName       Varchau(72)       Graduated for the student.       The student is in States and students.         Graduated_SchoolName       Varchau(78)       The student is in student in the student.       The student is in student is in student in the student.         Graduated_SchoolName       Varchau(78)       The student is in s		Varchar(50)	Latitude/longitude coordinates for the student's primary address.		
Interface     Interface     Interface       Goall Region     Variability     No longer used by the application. This field may all be referenced on reports and/or cactor magnets.     Interface       Goallanced, Rank     Number(100)     The gradiantom requirements this student follows. Links to the 1D on the Control of the Control number the random graduation on the user on density. Students Number(100)     Stores the school number the random graduation for the student control number of the school number the random graduation for the student density. Students Number(100)     Stores the school number the random graduation for the student control number of the school number the random graduation school.       Goalland Schooll Number (100)     Paree/graduation for the school number for the school number for the school number of the school number of the school number of the school number of the school number for the sc					
Induction         Instruction         Instruction         Instruction           Gradiated Rank         Number(10)         The gradiation function fragments in structure follows. Links to the Dom (the Gradiated Rank)         Number(10)         Since the school number the school regradiation.         Image: Since Sinc	_		-2=Preschool. Indexed.		
indexindexindexindexGraduated LaskNarker (10)Class runt approach the inter of graduation.Image of the inter of graduation of the subset graduated from so the user of a search of hr in the of cadated Stadents schoot.Graduated Laskon/NameVarbar(20)Stores the summe of the school the student graduated from so the user of a search of hr in the of raid activated Stadents schoot.Graduated School NameVarbar(22)Globally unique identifier for his table for SIP compliancy. Indexed.Gaurdian Staden(Cort grad Varbar(22)Globally unique identifier for his table for SIP compliancy. Indexed.Brone, PonceVarbar(20)Hone phone multic for the student fordexed.Brone, RoomVarbar(20)Hone phone multic for studen. Indexed.Brone, RoomVarbar(20)Nonger used by the application. This field may still be referenced in reports and/or schoole. This is school. This varbar(1)Brone School Network (10)Stadent Towin and lack hese mones from school.ProvedSchadtar(10)Stadent Towin and lack hese mones from school.ProvedSchadtar(10)Stadent Towin and lack hese mones from school.Brone School Network (10)Stadent Towin and lack hese mones from school.Brone School Network (10)Stadent Towin and lack hese mones from school.Brone School Network (10)Stadent Towin and lack hese mones from school.Brone School Network (10)Stadent Towin and lack hese mones from school.Brone School Network (10)Stadent Towin and lack hese mones from school.Brone School Network (10)Stadent Towin and lack hese mones from school Network (10)Bron	GradReqSet	Varchar(3)	<b>C S H</b>		
Graduard School DNumber (10)Notes the school number to student graduated from so the user search for hum or her in the Graduated Skdoots school.Image: Comparison of the school the student graduated from so the user school from or her in the Graduated Skdoots school.Image: Comparison of the school the student graduated from so the user school from or her in the Graduated Skdoots school.Image: Comparison of the school for school from school from so the user of school for school from so the user of school for school from school fr	GradReqSetID	Number(10,0)			
nn<n<n<n<n<n<n<n<n<n<n<n<n<n<n<n<n<n<n<n<n<n<n<n< <td>Graduated_Rank</td> <td>Number(10,0)</td> <td>Class rank upon the time of graduation.</td> <td></td> <td></td>	Graduated_Rank	Number(10,0)	Class rank upon the time of graduation.		
orororororororGrandma, Maddor out, BallGlobally migned learning for his table for SFL complany, Indexed.IDIDIDGonzilanizationVachaloyParenty garding fram sample.IDIDIDIDIDHome, PhoneVachaloyHome phone number for the stadent. Indexed.ID	Graduated_SchoolID	Number(10,0)			
GardamEnnalCLOBPercentyguardam enal address.Image of the state of	Graduated_SchoolName	Varchar(60)			
GaudtanFax         Varehar(20)         Home return paraligned number.         Image (Constraint)         Image (Con	Guardian_StudentCont_guid	Varchar(32)	Globally unique identifier for this table for SIF compliancy. Indexed.		
Home, PhoneVarchar(30)Home pumber for the student Indexed.InterferencedInterferencedHome, RoomVarchar(30)No hogene used by the application. This field may sull be referencedInterferencedHousesVarchar(10)Sho, field the necessary to capture the house value assigned in PowerScheduler to a student. This will need to be moved from Student-Scheduler to a student. This will need to be moved from Student-Scheduler to a student. This will need to be moved from Student-Scheduler to a student. This will need to be moved from Student-Scheduler to a student. This will need to be moved from Student-Scheduler to a student. This will need to be moved from Student-Scheduler to a student. This will need to be moved from Student-Scheduler to a student. This will need to be moved from Student-Scheduler to a student. This will need to be moved from Student-Scheduler to a student. This will neede to be provided value values: a student student information has been migrated to 	GuardianEmail	CLOB	Parent/guardian email address.		
Home_Recom       Varchar(60)       No longer used by the application. This field may still be referenced         House       Varchar(10)       This field in necessary to capture the house value assigned in         PowerScheduler to a student. This will need to be moved from       Four students sched, Nave Yaaribouse during the End-of-Yaar process. The field stores the text value of house (i.e. Hawhoreh).         ID       Number(10,0)       Scapantial number generated by the application, but uniqueness in the values: so guaranteed. Indexed.         IAM provide the start value of house (i.e. Hawhoreh).       Scapantial number generated by the application, but uniqueness in the values: so guaranteed. Indexed.         IAM provide the value of the student information has been migrated to Construct Management (Person and related tables). Required Valid values: 1 = Tre       Imagement (Person and related tables). Required Valid Valid Values.         Last Name       Varchar(305)       Last, First, Mi: Indexed.       Imagement (Person and related tables). Required Nation (Person and related tables). Required Nation (Person and Constor pages.       Imagement (Person and Person (Person (Person Person (Person (Person Person (Person Person (Person (Person	GuardianFax	Varchar(30)	Parent/guardian fax number.		
Interpreta and/or custom pages.Interpreta and/or custom pages.Interpreta and/or custom pages.HouseVarchar(0)Suguentic lis encessary to cupture the house value assigned in Students Stelle, Next Varthor Dy house (i.e., lawthorne).Interpreta stelle is not guaranteed. Indexed.IDNumber(100)Suguentic line by the application, but uniqueness in the value is not guaranteed. Indexed.Interpreta stelle is not guaranteed. Indexed.ISMgratedNumber(100)Flig indexing if the Student information has been migrated to values: - 1 = True 0 = False (Defnult)Interpreta stelle is not guaranteed.Last, NameVarchar(100)Sudents last name.Interpreta stelle - Palse (Defnult)LastNameVarchar(100)Sudents last name.Interpreta stelle - Palse (Defnult)LastNameVarchar(100)Sudents last name.Interpreta stelle - Palse (Defnult)Locker, CombinationVarchar(100)Varchar(200)Students last name.Interpreta stelle - Palse (Defnult)Locker, CombinationVarchar(100)Varchar(200)Varchar(200)Varchar(200)Locker, CombinationVarchar(200)Varchar(200)Varchar(200)Varchar(200)Locker, CombinationVarchar(200)Palse to value on stelle and palses.Interpreta stelle - Interpreta stelleLand, IDFloatThe students Power Lunch number IndexedInterpreta stelle - Interpreta stelleLand, IDVarchar(200)Represents the portion of funch a student mating address.Interpreta stelle - Interpreta stelleMailing, StreteVarchar(200) <t< td=""><td></td><td>Varchar(30)</td><td>1 1</td><td></td><td></td></t<>		Varchar(30)	1 1		
PowerScheduler to a student. This will need to be moved from Studentsched Neutrophenoes. The Ided stores the text value of house (i.e. Hawthorne).Image: Construction interface state in the student information, but intiqueness in the 	Home_Room	Varchar(60)			
indexindexindexindexIsMigratedNumber(1,0)Figuication (if the Student information has been migrated to Contact Management (Person and related tables). Required. Valid and these: i = True i = True <b< td=""><td>House</td><td></td><td>PowerScheduler to a student. This will need to be moved from Students:Sched_NextYearHouse during the End-of-Year process. The field stores the text value of house (i.e. Hawthorne).</td><td></td><td></td></b<>	House		PowerScheduler to a student. This will need to be moved from Students:Sched_NextYearHouse during the End-of-Year process. The field stores the text value of house (i.e. Hawthorne).		
Contact Management (Person and related tables). Required. Valid values: 1 = True 3 = False (Defauit)Last NameVarchar1000Students last name.Last NameVarchar1005Last, First, M. Indexed.LastMealVarchar200Stores the date of last lunch purchase.LDAPEnabledNumber(10.00)Used for LDAP support.Locker_CombinationVarchar200No longer used by the application. This field may still be referenced on propris and/or custom pages.Locker_CombinationVarchar200No longer used by the application. This field may still be referenced on propris and/or custom pages.LogCLOBPlace to write notes about transferring students.Imagement (Parson Pages)LogCLOBPlace to write notes about transferring students.Imagement (Parson Pages)Lunch IDFloatThe students PowerLunch number. Indexed.Imagement (Parson Pages)Lunch JDVarchar300City part of the mailing address.Imagement (Parson Pages)Mailing CatevodVarchar400Street address of the student's mailing address.Imagement (Parson Pages)Mailing StreetVarchar400Street address of the mailing address.Imagement (Parson Pages)Mailing StreetVarchar400Studen's membership. The largest number for this will usually be 1 and fractions expressed as decimals. If a student 	ID	Number(10,0)			
LastFirstVarchar(305)Last, First, Mi. Indexed.Image: Construction of the set of the set of the set of the purchase.LastMealVarchar(20)Stores the date of last lunch purchase.Image: Construction of the set of th	IsMigrated	Number(1,0)	Contact Management (Person and related tables). Required. Valid values: 1 = True		
LastMeal       Varchar(20)       Stores the date of last lunch purchase.       Image: Combination         LDAPEnabled       Number(10.0)       Used for LDAP support.       Image: Combination         Locker_Combination       Varchar(20)       No longer used by the application. This field may still be referenced on reports and/or custom pages.         Locker_Number       Varchar(15)       No longer used by the application. This field may still be referenced on reports and/or custom pages.         Log       CLOB       Place to write notes about transferring students.         Lunch ID       Float       The students PowerLanch number. Indexed.         LunchStatus       Varchar(3)       Represents the portion of lunch a student must pay for: Blank=No status P=Full pay R=Reduced F=Free E=Exempt T=Temporary EFDC=Free-DC.         Mailing_City       Varchar(50)       City part of the mailing address.         Mailing_Geocode       Varchar(00)       Street address of the mailing address.         Mailing_Zip       Varchar(10)       The zip code in the students mailing address.         Mailing_Zip       Varchar(10)       The zip code in the students mailing address.         Mailing_Zip       Varchar(10)       The zip code in the students mailing address.         Mailing_Lipan       Float       The amount of a student's membership this school claims. If a student as ucertam portion of thume school cach one will only be able to claim a certam	Last_Name	Varchar(100)	Students last name.		
LDAPEnabled       Number(10.0)       Used for LDAP support.         Locker_Combination       Varchar(20)       No longer used by the application. This field may still be referenced on reports and/or custom pages.         Locker_Number       Varchar(15)       No longer used by the application. This field may still be referenced on reports and/or custom pages.         Log       CLOB       Place to write notes about transferring students.         Lunch ID       Float       The students PowerLunch number. Indexed.         LunchStatus       Varchar(3)       Represents the portion of lunch a student must pay for: Blank=No status P=Full pay R=Reduced F=Free E=Exempt T=Temporary EDC=Free-DC.         Mailing_City       Varchar(50)       City part of the mailing address.         Mailing_State       Varchar(20)       Street address of the mailing address.         Mailing_Street       Varchar(10)       The zip code in the student's mailing address.         Mailing_Zip       Varchar(10)       The amount of a student's mothers.         Mailing_Zip       Varchar(10)       Street address of the mailing address.         Mailing_Zip       Varchar(10)       The amount of a student's mother.         MembershipShare       Float       The amount of a student's mother.         Mother       Varchar(32)       Globally unique identifier for this table for SIF compliancy. Indexed.         Next_School <td>LastFirst</td> <td>Varchar(305)</td> <td>Last, First, Mi. Indexed.</td> <td></td> <td></td>	LastFirst	Varchar(305)	Last, First, Mi. Indexed.		
Locker_Combination       Varchar(20)       No longer used by the application. This field may still be referenced on reports and/or custom pages.         Locker_Number       Varchar(15)       No longer used by the application. This field may still be referenced on reports and/or custom pages.         Log       CLOB       Place to write notes about transferring students.         Lunch.1D       Float       The students PowerLunch number. Indexed.         LunchStatus       Varchar(3)       Represents the portion of lunch a student must pay for: Blank=No status P=Full pay R=Reduced P=Free E=Exempt T=Temporary         FDC=Free-DC.       Mailing_Geocode       Varchar(20)       Latitude/longitude coordinates for the student's mailing address.         Mailing_Geocode       Varchar(20)       State part of the mailing address.       Image: Comparison of the mailing address.         Mailing_Street       Varchar(10)       The zudents of the mailing address.       Image: Comparison of the mombership this school claims. If a student membership the larget number for this will usually be 1 and fractions expressed as decimals. Like. 5 or .25.         Middle_Name       Varchar(30)       Student's middle name.         Mother       Varchar(30)       Student's mother.         Mother       Varchar(30)       Student's mother.         Mother       Varchar(30)       Student's mother.         Mother_StudentCont guid       Varchar(30)       Globa	LastMeal	Varchar(20)	Stores the date of last lunch purchase.		
Income set of the standard custom pages.Income set of the standard custom pages.Income set of the standard custom pages.Locker_NumberVarchar(15)No longer used by the application. This field may still be referenced on reports and/or custom pages.Income set of the standard custom pages.LogCLOBPlace to write notes about transferring students.Income set of the student Page set.Lunch IDFloatThe students PowerLunch number. Indexed.Income set of the student Page set.LunchStatusVarchar(3)Represents the portion of lunch a student must pay for: Blank=No status P=Full pay R=Reduced F=Free E=Exempt T=Temporary EDC=Free.DC.Mailing_CityVarchar(50)Latitude/longitude coordinates for the student's mailing address.Income set.Mailing_StateVarchar(2)State part of the mailing address.Income set.Income set.Mailing_StreetVarchar(10)The zip code in the students mailing address.Income set.Income set.MembershipShareFloatThe amount of a student's membership this school claims. If a student a certain portion of the membership. The largest number for this will usually be 1 and fractions expressed as decimals. Like 5 or 25.Income set.MotherVarchar(30)Student's mother.Income set.Income set.Next_SchoolNumber(100)The school the student will be attending the next school year. It is information is stored as the intermal ID on the school stabe for this school.Income set.PriorNumber(100)The school the student on PowerLink. Indexed.Income set.Middle_NameVarchar(32)Globally uni	LDAPEnabled	Number(10,0)	Used for LDAP support.		
IndexIndexIndex of the proofs and/or custom pages.IndexLogCLOBPlace to write notes about transferring students.IndexLunch JDFloatThe students PowerLunch number. Indexed.IndexLunch StatusVarchar(3)Represents the portion of lunch a student must pay for: Blank=No status P=Full pay R=Reduced F=Free E=Exempt T=Temporary FDC=Free-DC.Mailing_CityVarchar(50)City part of the mailing address.IndexMailing_GeccodeVarchar(50)Latitude/longitude coordinates for the student's mailing address.IndexMailing_StreetVarchar(10)Street address of the mailing address.IndexMailing_ZipVarchar(10)The zip code in the students mailing address.IndexMailing_ZipVarchar(10)The zip code in the students mailing address.IndexMiddle_NameVarchar(30)Student's midden amendership this school claim a certarin portion of the membership. The largest number for this will 	Locker_Combination	Varchar(20)			
Lunch_IDFloatThe students PowerLunch number. Indexed.LunchStatusVarchar(3)Represents the portion of lunch a student must pay for: Blank=No status P=Rull pay R=Reduced F=Free E=Exempt T=Temporary FDC=Free-DC.Mailing_CityVarchar(50)City part of the mailing address.Mailing_GeccodeVarchar(50)Latitude/Ingitude coordinates for the student's mailing address.Mailing_StateVarchar(2)State part of the mailing address.Mailing_StreetVarchar(10)The zip code in the students mailing address.Mailing_StreetVarchar(10)The zip code in the students mailing address.Mailing_YipVarchar(10)The zip code in the students mailing address.Mailing_YipVarchar(10)The zip code in the students mailing address.Mailing_YipVarchar(10)The zip code in the student's membership this school claims. If a student attends more than one school each one will only be able to claim a certain portion of the membership. The largest number for this will usually be 1 and fractions expressed as decimals. Like .5 or .25.Middle_NameVarchar(30)Student's mother.MotherVarchar(30)Student's mother.Mother_StudentCont_guidVarchar(30)Student's mother.MemberShipShareIn eschool table for that school. Presson just school scale in formation is stored as the internal ID on the school stable for that school.Next_SchoolNumber(10,0)The related person in the Relationship table. Indexed.PhotoFlagNumber(10,0)The related person in the Relationship table. Indexed.PhotoFlagNumber(10,0	Locker_Number	Varchar(15)			
Lunch_IDFloatThe students PowerLunch number. Indexed.LunchStatusVarchar(3)Represents the portion of lunch a student must pay for: Blank=No status P=Full pay R=Reduced F=Free E=Exempt T=Temporary FDC=Free-DC.Mailing_CityVarchar(50)City part of the mailing address.Mailing_GeocodeVarchar(20)State part of the mailing address.Mailing_StateVarchar(20)State part of the mailing address.Mailing_StreetVarchar(10)The zip code in the student's mailing address.Mailing_ZipVarchar(10)The zip code in the students mailing address.Mailing_ZipVarchar(10)The zip code in the student's membership this school claims. If a student attends more than one school each one will only be able to claim a certain portion of the membership. The largest number for this will usually be 1 and fractions expressed as decimals. Like .5 or .25.Middle_NameVarchar(30)Student's mother.MotherVarchar(32)Globally unique identifier for this table for SIF compliancy. Indexed.Mother_StudentCont_guidVarchar(32)The school the student will be attending the next school year. It is likely this will be the same school. The information is stored as the internal ID on the school stable for this school.Person_IDNumber(10.0)The number for the student on PowerLink. Indexed.Phone_IDNumber(10.0)The number for the student on PowerLink. Indexed.Phone_IDNumber(10.0)Sto I if a photo exists for this student.Phone_IDNumber(10.0)The number for the student on PowerLink. Indexed.Phone_IDNumber(10.0)<	Log	CLOB	Place to write notes about transferring students.		
status P=Full pay R=Reduced F=Free E=Exempt T=Temporary FDC=Free-DC.Image: Status P=Full pay R=Reduced F=Free E=Exempt T=Temporary FDC=Free-DC.Mailing_CityVarchar(50)City part of the mailing address.Image: Status P=Full pay R=Reduced F=Free E=Exempt T=Temporary FDC=Free-DC.Mailing_GeocodeVarchar(50)Latitude/longitude coordinates for the student's mailing address.Image: Status P=Full pay R=Reduced F=Free E=Exempt T=Temporary For the mailing address.Image: Status P=Full pay R=Reduced F=Free E=Exempt T=Temporary For the mailing address.Image: Status P=Full pay R=Reduced F=Free E=Exempt T=Temporary For the mailing address.Image: Status P=Full pay R=Reduced F=Free E=Exempt T=Temporary For the mailing address.Image: Status P=Full pay R=Reduced F=Free E=Exempt T=Temporary For the mailing address.Image: Status P=Full pay R=Reduced F=Free E=Exempt T=Temporary For the mailing address.Image: Status P=Full pay R=Reduced F=Free E=Exempt T=Temporary For the mailing address.Image: Status P=Full pay R=Reduced F=Free E=Exempt T=Temporary For the mailing address.Image: Status P=Full pay R=Reduced P=For the status Pay R=Reduced Pay		Float	The students PowerLunch number. Indexed.		
Mailing_Geocode       Varchar(50)       Latitude/tongitude coordinates for the student's mailing address.         Mailing_State       Varchar(2)       State part of the mailing address.         Mailing_Street       Varchar(60)       Street address of the mailing address.         Mailing_Zip       Varchar(10)       The zip code in the students mailing address.         MembershipShare       Float       The amount of a student's membership this school claims. If a student attends more than one school each one will only be able to claim a certain portion of the membership. The largest number for this will usually be 1 and fractions expressed as decimals. Like .5 or .25.         Middle_Name       Varchar(30)       Student's mother.         Mother       Varchar(32)       Globally unique identifier for this table for SIF compliancy. Indexed.         Next_School       Number(10,0)       The school the student will be attending the next school year. It is likely this will be the same school. The information is stored as the intermal ID on the schools table for that school.         Person_ID       Number(10,0)       The number for the student on PowerLink. Indexed.         PhotoFlag       Number(10,0)       Set to 1 if a photo exists for this student.         PL_Language       Varchar(30)       Set to 1 if a photo exists for the students. Indexed.         PhotoFlag       Number(10,0)       Set to 1 if a photo exists for the students. Indexed.         PhotoFlag       <	LunchStatus	Varchar(3)	status P=Full pay R=Reduced F=Free E=Exempt T=Temporary		
Mailing_StateVarchar(2)State part of the mailing address.Mailing_StreetVarchar(60)Street address of the mailing address.Mailing_ZipVarchar(10)The zip code in the students mailing address.MembershipShareFloatThe amount of a student's membership this school claims. If a student attends more than one school each one will only be able to claim a certain portion of the membership. The largest number for this will usually be 1 and fractions expressed as decimals. Like .5 or .25.Middle_NameVarchar(30)Student's middle name.MotherVarchar(305)Name of student's mother.MotherVarchar(32)Globally unique identifier for this table for SIF compliancy. Indexed.Next_SchoolNumber(10,0)The school the student will be attending the next school year. It is likely this will be the same school. The information is stored as the internal ID on the schools table for that school.Person_IDNumber(10,0)The related person in the Relationship table. Indexed.Phone_IDNumber(10,0)The number for the student on PowerLink. Indexed.PhotoFlagNumber(10,0)Set to 1 if a photo exists for this student.PSGUIDVarchar(20)If used, a unique identifier for the row. Currently applicable to multi- tenant, Schoolnet, and Pearson SuccessNet/Pearson SuccessNet Plus.	Mailing_City	Varchar(50)	City part of the mailing address.		
Mailing_StreetVarchar(60)Street address of the mailing address.Mailing_ZipVarchar(10)The zip code in the students mailing address.MembershipShareFloatThe amount of a student's membership this school claims. If a student attends more than one school each one will only be able to claim a certain portion of the membership. The largest number for this will usually be 1 and fractions expressed as decimals. Like .5 or .25.Middle_NameVarchar(30)Student's middle name.MotherVarchar(30)Name of student's mother.Mother_StudentCont_guidVarchar(32)Globally unique identifier for this table for SIF compliancy. Indexed.Next_SchoolNumber(10,0)The school the student will be attending the next school year. It is likely this will be the same school.Person_IDNumber(10,0)The related person in the Relationship table. Indexed.Phone_IDNumber(10,0)St to 1 if a photo exists for this student.PhotoFlagNumber(10,0)St to 1 if a photo exists for this student.PSGUIDVarchar(50)If used, a unique identifier for the row. Currently applicable to multi- tenant, Schoolnet, and Pearson SuccessNet/Pearson SuccessNet Plus.	Mailing_Geocode	Varchar(50)	Latitude/longitude coordinates for the student's mailing address.		
Mailing_ZipVarchar(10)The zip code in the students mailing address.Image: Content of the student of a student's membership this school claims. If a student attends more than one school each one will only be able to claim a certain portion of the membership. The largest number for this will usually be 1 and fractions expressed as decimals. Like .5 or .25.Image: Content of the membership. The largest number for this will usually be 1 and fractions expressed as decimals. Like .5 or .25.Image: Content of the membership. The largest number for this will usually be 1 and fractions expressed as decimals. Like .5 or .25.Image: Content of the membership. The largest number for this will usually be 1 and fractions expressed as decimals. Like .5 or .25.Image: Content of the transmitted of the membership. The largest number for this will usually be 1 and fractions expressed as decimals. Like .5 or .25.Image: Content of the transmitted of the membership. The largest number for this will usually be 1 and fractions expressed as decimals. Like .5 or .25.Middle_NameVarchar(30)Student's mother.Image: Content of the student of the transmitted of the student will be attened on the information is stored as the internal ID on the schools table for that school.Next_SchoolNumber(10,0)The related person in the Relationship table. Indexed.Image: Content of the transmitted of th	Mailing_State	Varchar(2)	State part of the mailing address.		
MembershipShareFloatThe amount of a student's membership this school claims. If a student attends more than one school each one will only be able to claim a certain portion of the membership. The largest number for this will usually be 1 and fractions expressed as decimals. Like .5 or .25.Middle_NameVarchar(30)Student's middle name.MotherVarchar(302)Student's mother.MotherVarchar(32)Globally unique identifier for this table for SIF compliancy. Indexed.Mext_SchoolNumber(10,0)The school the student will be attending the next school year. It is likely this will be the same school. The information is stored as the internal ID on the schools table for that school.Person_IDNumber(10,0)The related person in the Relationship table. Indexed.PhotoFlagNumber(10,0)Set to 1 if a photo exists for this student.PL_LanguageVarchar(22)PowerLink language, which is either Spanish or English.PSGUIDVarchar(50)If used, a unique identifier for the row. Currently applicable to multi- tenant, Schoolnet, and Pearson SuccessNet/Pearson SuccessNet Plus.	Mailing_Street	Varchar(60)	Street address of the mailing address.		
And the second	Mailing_Zip	Varchar(10)	The zip code in the students mailing address.		
MotherVarchar(305)Name of student's mother.Mother_StudentCont_guidVarchar(32)Globally unique identifier for this table for SIF compliancy. Indexed.Next_SchoolNumber(10,0)The school the student will be attending the next school year. It is likely this will be the same school. The information is stored as the internal ID on the schools table for that school.Person_IDNumber(10,0)The related person in the Relationship table. Indexed.Phone_IDNumber(10,0)The number for the student on PowerLink. Indexed.PhotoFlagNumber(10,0)Set to 1 if a photo exists for this student.PL_LanguageVarchar(12)PowerLink language, which is either Spanish or English.PSGUIDVarchar(50)If used, a unique identifier for the row. Currently applicable to multi- tenant, Schoolnet, and Pearson SuccessNet/Pearson SuccessNet Plus.	MembershipShare	Float	attends more than one school each one will only be able to claim a certain portion of the membership. The largest number for this will		
Mother_StudentCont_guidVarchar(32)Globally unique identifier for this table for SIF compliancy. Indexed.Next_SchoolNumber(10,0)The school the student will be attending the next school year. It is likely this will be the same school. The information is stored as the internal ID on the schools table for that school.Person_IDNumber(10,0)The related person in the Relationship table. Indexed.Phone_IDNumber(10,0)The number for the student on PowerLink. Indexed.PhotoFlagNumber(10,0)Set to 1 if a photo exists for this student.PL_LanguageVarchar(12)PowerLink language, which is either Spanish or English.PSGUIDVarchar(50)If used, a unique identifier for the row. Currently applicable to multi- tenant, Schoolnet, and Pearson SuccessNet/Pearson SuccessNet Plus.If used, a unique identifier for the row. Currently applicable to multi- tenant, Schoolnet, and Pearson SuccessNet/Pearson SuccessNet Plus.	Middle_Name	Varchar(30)	Student's middle name.		
Next_SchoolNumber(10,0)The school the student will be attending the next school year. It is likely this will be the same school. The information is stored as the internal ID on the schools table for that school.Person_IDNumber(10,0)The related person in the Relationship table. Indexed.Phone_IDNumber(10,0)The number for the student on PowerLink. Indexed.PhotoFlagNumber(10,0)Set to 1 if a photo exists for this student.PL_LanguageVarchar(12)PowerLink language, which is either Spanish or English.PSGUIDVarchar(50)If used, a unique identifier for the row. Currently applicable to multi- tenant, Schoolnet, and Pearson SuccessNet/Pearson SuccessNet Plus.If used, a unique identifier for the row. Currently applicable to multi- tenant, Schoolnet, and Pearson SuccessNet/Pearson SuccessNet Plus.	Mother	Varchar(305)	Name of student's mother.		
Image: Construction of the section	Mother_StudentCont_guid	Varchar(32)	Globally unique identifier for this table for SIF compliancy. Indexed.		
Person_IDNumber(10,0)The related person in the Relationship table. Indexed.Image: Constraint of the student on PowerLink. Indexed.Phone_IDNumber(10,0)The number for the student on PowerLink. Indexed.Image: Constraint of the student on PowerLink. Indexed.PhotoFlagNumber(10,0)Set to 1 if a photo exists for this student.Image: Constraint of the student on PowerLink. Indexed.PL_LanguageVarchar(12)PowerLink language, which is either Spanish or English.Image: Constraint of the student of the row. Currently applicable to multi-tenant, Schoolnet, and Pearson SuccessNet/Pearson SuccessNet Plus.PSGUIDVarchar(50)If used, a unique identifier for the row. Currently applicable to multi-tenant, Schoolnet, and Pearson SuccessNet/Pearson SuccessNet Plus.	Next_School	Number(10,0)	likely this will be the same school. The information is stored as the		
Phone_ID       Number(10,0)       The number for the student on PowerLink. Indexed.         PhotoFlag       Number(10,0)       Set to 1 if a photo exists for this student.       Image: Comparison of the student on PowerLink and the student.         PL_Language       Varchar(12)       PowerLink language, which is either Spanish or English.       Image: Comparison of the student of the student on PowerLink and the student of the stude	Person_ID	Number(10,0)			
PL_Language       Varchar(12)       PowerLink language, which is either Spanish or English.         PSGUID       Varchar(50)       If used, a unique identifier for the row. Currently applicable to multi-tenant, Schoolnet, and Pearson SuccessNet/Pearson SuccessNet Plus. If used, a unique identifier for the row. Currently applicable to multi-tenant, Schoolnet, and Pearson SuccessNet/Pearson SuccessNet Plus.	Phone_ID	Number(10,0)	The number for the student on PowerLink. Indexed.		
PSGUID       Varchar(50)       If used, a unique identifier for the row. Currently applicable to multi- tenant, Schoolnet, and Pearson SuccessNet/Pearson SuccessNet Plus. If used, a unique identifier for the row. Currently applicable to multi- tenant, Schoolnet, and Pearson SuccessNet/Pearson SuccessNet Plus.	PhotoFlag	Number(10,0)	Set to 1 if a photo exists for this student.		
tenant, Schoolnet, and Pearson SuccessNet/Pearson SuccessNet Plus. If used, a unique identifier for the row. Currently applicable to multi- tenant, Schoolnet, and Pearson SuccessNet/Pearson SuccessNet Plus.	PL_Language	Varchar(12)	PowerLink language, which is either Spanish or English.		
	PSGUID	Varchar(50)	tenant, Schoolnet, and Pearson SuccessNet/Pearson SuccessNet Plus. If used, a unique identifier for the row. Currently applicable to multi-		
Schedulock ENTIMPERTUUM LINIS TIELO WILLOCK Individual students' schedules from Load	Sched LoadLock	Number(10,0)	This field will lock individual students' schedules from Load.		

Sched_LockStudentSchedule	Number(10,0)	True/False: True (selected)=Do not allow the schedule to be changed			
		by PowerScheduler. False (deselected)=Schedule this student when the scheduling engine is run.			
Sched_NextYearBuilding	Varchar(10)	The building this student will be in next year for schools with multi- building needs.			
Sched_NextYearBus	Varchar(20)	No longer used by the application. This field may still be referenced on reports and/or custom pages.			
Sched_NextYearGrade	Number(10,0)	The grade the student is going to be in next year. If the student is being retained, this should be the same as the current grade level.			
Sched_NextYearHomeRoom	Varchar(10)	No longer used by the application. This field may still be referenced on reports and/or custom pages.			
Sched_NextYearHouse	Varchar(10)	The house this student will belong to next year. This is used for scheduling purposes. A house is most often used for school within a school type of scheduling.			
Sched_NextYearTeam	Varchar(10)	The team this student will belong to next year.			
Sched_Priority	Number(10,0)	Indicates when you want this student to be scheduled in relation to the other students. The lower the number, the sooner he or she is scheduled.			
Sched_Scheduled	Number(10,0)	A flag indicating if this student has had a schedule built for them. True means they do have a schedule and another will not be made unless the engine is told to reschedule regardless of this flag. False, the engine will build a schedule for this student next time.			
Sched_YearOfGraduation	Number(10,0)	Year of graduation. This changes if the student fails or skips a grade.			
SchoolEntryDate	Date	A static field with no coding used to hold information entered by the district.			
SchoolEntryGradeLevel	Number(10,0)	Grade level of the student for entering into this school.			
SchoolID	Number(10,0)	The School_Number of the associated Schools record.			
SDataRN	Number(10,0)	No longer used by the application. This field may still be referenced on reports and/or custom pages.			
Simple_GPA	Float	The simple GPA for the student as of the last time GPA calculations ran.			
Simple_PCT	Float	The simple percent GPA for the student as of the last time GPA calculations ran.			
SSN	Varchar(12)	Students Social Security number. Indexed.	No student SSNs	are kept in Power	School
State	Varchar(2)	State element of address.			
State_EnrollFlag	Number(10,0)	True/False. Used for state reporting to indicate he or she is enrolled at the state level.			
State_ExcludeFromReportin	Number(10,0)	True/False. Used for state reports to exclude certain students from reports. Most often, these will be special education students who are reported differently.			
State_StudentNumber	Varchar(32)	The state-assigned student number for the student. In most cases, this number should stay the same from school to school.			
Street	Varchar(60)	Student's street address.			
Student_AllowWebAccess	Number(10,0)	Allow student user webID to log in to parent/student page: 1=Yes 0=No			
Student_Number	Float	Student Number assigned by the school. Indexed.			
Student_Web_ID	Varchar(20)	The student user ID for logging in to PowerSchool Parent. Indexed.			
Student_Web_Password	Varchar(20)	The password for Student_Web_ID.			
StudentPers_guid	Varchar(32)	Globally unique identifier for this table for SIF compliancy. Indexed.			
StudentPict_guid	Varchar(32)	Globally unique identifier for this table for SIF compliancy. Indexed.			
StudentSchlEnrl_guid	Varchar(32)	Globally unique identifier for this table for SIF compliancy. Indexed.			
SummerSchoolID	Number(10,0)	School Identifier for this Student's Summer School, if applicable.			
SummerSchoolNote	Varchar(80)	Notes specific to this Student's Summer School.			
TeacherGroupID	Number(10,0)	No longer used by the application. This field may still be referenced on reports and/or custom pages.			
Team	Varchar(10)	This field is necessary to capture the team value assigned in PowerScheduler to a student. This will need to be moved from Students:Sched_NextYearTeam during the End-of-Year process. Sched_NextYearTeam captures the record ID from the Gen table (Cat = TeacherGroups). Current_Team cannot capture the ID since this record is part of PowerScheduler and may be changed when scheduling for a future year. An acceptable compromise is to capture			
		the value instead (i.e. Blue) and store this.			
Track	Varchar(20)	the value instead (i.e. Blue) and store this. A-H or blank. This represents the times of year a student goes to school. This is most common with year-round schools.			
Track TransferComment	Varchar(20)	A-H or blank. This represents the times of year a student goes to			

	1	1	1	
Web_ID	Varchar(20)	The parent user ID for logging in to PowerSchool Parent. Indexed.		
Web_Password	Varchar(20)	The parent password for logging in to PowerSchool Parent.		
Withdrawal_Reason_Code	Varchar(3)	Reason code provided when a student withdraws from school.		
WM_Address	Varchar(70)	No longer used by the application. This field may still be referenced on reports and/or custom pages.		
WM_CreateDate	Date	No longer used by the application. This field may still be referenced on reports and/or custom pages.		
WM_CreateTime	Time	No longer used by the application. This field may still be referenced on reports and/or custom pages.		
WM_Password	Varchar(20)	No longer used by the application. This field may still be referenced on reports and/or custom pages.		
WM_Status	Varchar(10)	No longer used by the application. This field may still be referenced on reports and/or custom pages.		
WM_StatusDate	Date	No longer used by the application. This field may still be referenced on reports and/or custom pages.		
WM_TA_Date	Date	No longer used by the application. This field may still be referenced on reports and/or custom pages.		
WM_TA_Flag	Varchar(3)	No longer used by the application. This field may still be referenced on reports and/or custom pages.		
WM_Tier	Number(10,0)	No longer used by the application. This field may still be referenced on reports and/or custom pages.		
Zip	Varchar(10)	Students zip cod		